

Gift of
Earl Blough
November 1957

CATALOGUE FOR 1846,
OF A CHOICE COLLECTION

OF

**FLORICULTURAL, VEGETABLE,
AND AGRICULTURAL
SEEDS,**

COMPRISING, IN ALL, UPWARDS OF

1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS,
WELL WORTHY THE ATTENTION OF FLORISTS AND AMATEURS
IN GENERAL.

THE

LISTS OF VEGETABLE AND AGRICULTURAL SEEDS

**WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.**

TO BE HAD OF

JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

*** The German Seeds are from the usual source.

[Entered at Stationers' Hall.]

THE NECESSARY EXPLANATIONS

Respecting the Linnæan Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnæan Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *fræne*;—G. *greenhouse*;—S. *stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; hha. *half-hardy annual*; ta. *tender annual*; fa. *fræne annual*; fgh. *fræne or greenhouse*; gh. and hgh. *green or hothouse*; sa. *stove annual*; hb. *hardy biennial*; hhb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6–9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d.*, &c.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; *sp.* species, *var.* variety.

The dots | ... | ... | ... | ... | indicate a repetition; *pl.* *phures*, many; *ex.* from.

I. The 24 Linnæan Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnæan Classes are founded on the Sexual Organs.

a. Stamens (male organs) equal.		c. Stamens united in sets.	
Classes.	No. 1. Monandria . . . 1 stamen	16. Mopadelphia, 1 set	
	2. Diandria . . . 2 stamens	17. Diadelphia, 2 sets	
	3. Triandria . . . 3 „	18. Polyadelphia, many sets	
	4. Tetrandria . . . 4 „	d. Compound Flowers (<i>Asters</i> , &c.).	
	5. Pentandria . . . 5 „	19. Syngenesia	
	6. Hexandria . . . 6 „	e. Stamens on the style.	
	7. Heptandria . . . 7 „	20. Gynandria	
	8. Octandria . . . 8 „	f. Male and female separated.	
	9. Enneandria . . . 9 „	21. Monœcia, on one plant	
	10. Decandria . . . 10 „	22. Diœcia, on different plants	
	11. Doddecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite flowers, on one or different plants.	
	12. Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13. Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
	b. Stamens unequal.	24. Cryptogamia, hidden marriages (<i>Ferns</i> , <i>Mosses</i> , &c.).	
	14. Didynamia, 2 long, 2 short		
	15. Tetradyndamia, 4 „ 2 „		

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria <i>many stamens</i>	
No. 25. Monogýnia	. 1 style	c. On the sets of Stamens.	
26. Digýnia	. 2 styles	49. Monadelphia, 1 set	
27. Di-pentagýnia	2 to 5 "	d. Styles and stamens united.	
28. Trigýnia	. 3 "	50. Gynandria	
29. Tetragýnia	. 4 "	e. Male and female separate.	
30. Pentagýnia	. 5 "	51. Monœ'cia, an one plant	
31. Hexagýnia	. 6 "	52. Diœ'cia, an different plants	
32. Heptagýnia	. 7 "	f. On the Polygamy.	
33. Decagýnia	. 10 "	53. { Polygámia æqualis, or	
34. Dodecagýnia	. 12 "	{ Equal Polygamy	
35. Polygýnia	many "	54. { Polygámia superflua	
b. On the Stamens (male organs).		{ Superfluous Polygamy	
36. Monan'dria	. 1 stamen	55. { Polygámia frustranca	
37. Diandria	. 2 stamens	{ Frustrated Polygamy	
38. Triandria	. 3 "	56. { Polygámia necessaria	
39. Tetrandria	. 4 "	{ Necessary Polygamy	
40. Pentandria	. 5 "	57. { Polygámia segregata	
41. Hexandria	. 6 "	{ Separated Polygamy	
42. Heptandria	. 7 "	g. On the Seeds.	
43. Octandria	. 8 "	58. { Gymnosper'mia	
44. Enneandria	. 9 "	{ Naked seeds	
45. Decandria	. 10 "	59. Angiosper'mia, in a capsule	
46. Dodecandria	. 12 "	h. On the Pods.	
47. Icosandria	. 20 "	60. Siliculösa, a small pod	
		61. Siliquösa, a long pad.	

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthaceæ	82. Crassulaceæ	102. Linaceæ	121. Portulacææ
63. Amaranthaceæ	83. Crucifereæ	103. Loasaceæ	122. Primulaceææ
64. Amaryllidaceæ	84. Cucurbitaceæ	104. Lobeliaceæ	123. Proteaceæ
65. Apocynaceæ	85. Dipsaceæ	105. Loranthaceæ	124. Ranunculaceææ
66. Aristolochiaceæ	86. Epacridaceæ	106. Lythraceæ	125. Resedaceæ
67. Asclepiadaceæ	87. Ericaceæ	107. Marantaceæ	126. Rosaceæ
68. Balsaminaceæ	88. Euphorbiaceæ	108. Malvaceæ	127. Rutaceæ
69. Begoniaceæ	89. Ficoideæ	109. Myrtaceæ	128. Rutaceæ
70. Bignoniaceæ	90. Fumariaceæ	110. Nyctagineæ	129. Scrophulariaceææ
71. Boraginaceæ	91. Francoiseæ	111. Nymphaeaceæ	130. Sesameæ
72. Cactaceæ	92. Gramineæ	112. Onagrariceæ	131. Silenaceæ
73. Campanulaceæ	93. Gentianaceæ	113. Oxalidaceæ	132. Solanaceæ
74. Capparidaceæ	94. Geraniaceæ	114. Papaveraceæ	133. Stellateæ
75. Caprifoliaceæ	95. Gesneraceæ	115. Passifloraceæ	134. Thymelaceæ
76. Cistaceæ	96. Hydrophyllaceæ	116. Pittosporaceæ	135. Tropaeolaceæ
77. Cobæaceæ	97. Iridaceæ	117. Plumbaginaceæ	136. Umbellifereæ
78. Commelinaceæ	98. Labiataæ	118. Polemoniaceæ	137. Valerianaceæ
79. Compositæ	99. Leguminosæ	119. Polygalaceæ	138. Verbenaceæ
80. Conifereæ	100. Liliaceæ	120. Polygonaceæ	139. Violaceæ
81. Convolvulaceæ	101. Limnanthaceæ		

The names of the Natural Orders ending in ACEÆ are chiefly derived from Generic Names, as CAMPANULACEÆ from CAMPANULA; such as end in Æ only are nat, as COMPOSITEÆ, LABIATÆ, &c.

ASSORTMENTS

OF

GERMAN FLOWER SEEDS

IN THE ORIGINAL SEALED PACKETS.

These Seeds continue to gain Prizes in all parts of the Kingdom.

No.		s.	d.
1	40 splendid varieties German Aster, separate, many new, <i>hha</i>	10	0
2	40 do. do. do. do.smaller packets	6	0
3	20 do. do. do. do.	5	0
4	20 do. do. do. do.smaller packets	3	0
5	16 beautiful new dwarf German Aster, ext. fine, separate.....	4	6
6	16 do. do. do. do. do.smaller packets	3	0
7	60 extra fine German Stock, separate, incl. several new, <i>hha</i>	15	0
8	60 do. do. do. do.smaller packets	8	0
9	25 do. do. do. all dwarfsmaller packets	7	6
10	25 do. do. do.smaller packets	4	0
11	12 finest dwarf do. do.	5	0
12	12 do. do. do.smaller packets	3	0
13	12 extra fine branching do. do.	4	0
14	12 do. do. do.smaller packets	2	6
15	12 finest wallflower-leaved or Prussian Stock, separate	3	6
16	12 do. do. do. do. do.smaller packets	2	0
17	12 splendid Autumnal or Intermediate do. do.	4	0
18	12 do. do. do. do. do.smaller packets	2	6
19	16 very fine Winter (Queen & Brompton) do. do. <i>hbb</i>	5	0
20	16 do. do. do. do. do.smaller packets	3	0
21	8 do. do. do. do. do.	2	6
22	8 do. do. do. do. do.smaller packets	1	6
23	12 beautiful German Wallflower, several new <i>hp</i>	5	0
24	12 do. do. do. do.smaller packets	3	0
25	12 finest double dwarf German Rocket Larkspur, separate..... <i>ha</i>	3	0
26	10 do tall do do. <i>ha</i>	2	6
27	16 extra fine double Poppy, separate <i>ha</i>	3	0
28	8 splendid new large-flowered Scabious, separate <i>hp</i>	2	6
29	20 very fine double Balsam, great variety, do. <i>ta</i>	4	0
30	30 do do. German Hollyhoek, do. <i>hp</i>	6	0
31	24 splendid varieties <i>Zinnia elegans</i> , several new <i>hha</i>	8	0
32	12 do. do. separate <i>hp</i>	5	0
33	15 extra fine <i>Petunia</i> , several new, do. <i>hha</i>	5	0
34	12 fine African and French Marigold, do. <i>hha</i>	3	0
35	8 very fine varieties <i>Helichrysum</i> (<i>Xeranthemum</i>), separate <i>hha</i>	2	6

* * 36 to 44, *Sundry Assortments of Cape and other Seeds*, see page 24.

Explanations.—*hha*. half-hardy annuals; *hbb*. half-hardy biennials; *hnp*. half-hardy perennials; *fgn*. frame or greenhouse; *ha*. hardy annuals; *hp*. hardy perennials. Many of the perennials flower the first year if sown in good time; viz. those marked † in the body of the Catalogue.

CATALOGUE.

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 73, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 7.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Ageratum mexicanum* is rendered Mexican Ageratum, &c.—In giving orders it is sufficient to mention the numbers and date of the Catalogue, 1846.

A — indicates a variety. () That the word is not literally translated, or is superadded.		Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
THE ACCENTS.									
à, â, î, ò, ù, y', as in <i>Acù-cia</i> , <i>Gardè-nia</i> , <i>Lupì-nus</i> , <i>Cù-cumis</i> , <i>Hy'-acinth</i> .									
á, é, í, ó, and y', as in <i>Itál-ica</i> , <i>él-egans</i> , <i>bíc-olor</i> , <i>Nemóph-ila</i> (ú does not occur).									
Scientific Name.									
No.							feet		s. d.
45 <i>Acæcia</i> , 12 sp., N.H.	12 <i>N. Holland sp.</i>	23	51	99	G.	y&w	4&c	6-8	2 6
46 <i>Achimenes</i> , pl. sp.	(6 fine species)	14	59	95	...	div.	1	6-9	1 0
47 <i>Aconitum</i> , 6 species	(6 fine species)	13	28	124	hp	...	2&c	...	6
48 <i>Adlunia cirrhosa</i> **	tendrilled	17	41	90	hpt	w&p	12	6-7	3
49 scandens**	climbing	3
50 <i>Ageratum mexicanum</i>	Mexican	19	53	79	ha	bl.	1½	7-8	3
51 odoratum	fragrant	3
52 <i>Agrostis pulchella</i>	pretty	3	26	92	...	gr.	1	6-8	3
53 <i>Alonsa grandiflora</i>	large-flowered	14	59	129	lhpt	sc.	...	6-9	6
54 incisa et picta	(2 fine sorts)	s & o	6
55 <i>Alstrœmeria aurantiaca</i>	orange	6	25	64	...	or.	2½	6-8	6
56 Barclayana	Barclay's	b. o.	2	...	6
57 Cummingiana	Cumming's	y & o	6
58 Hookeri	Sir W. Hooker's	rose	6
59 — pallida	pale	r & y	6
60 Pelegriana	(striped) extra	stri.	6
61 — alba	white	wh.	6
62 pulchella	pretty	s & y	6
63 pulchra (tricolor)	beautiful	wpy	6
64 — — —	(fine mixed)	div.	1 0
65 <i>Alyssum saxatile</i>	rock	15	60	83	hpt	yel.	1	4-6	3
66 <i>Amaranthus tricolor</i>	three-coloured	21	40	63	ta	var.	1½	7-9	3
67 <i>Amethystea cœrulea</i>	blue	2	25	98	ha	bl.	2	7-8	3
68 <i>Amphicoma arguta</i> **	(finely-cut)	14	59	70	lhpt	li.	1 0
69 <i>Anagallis arvensis</i>	(Pimpernel)	5	25	122	lia	se.	½	...	3
70 carnea	flesh-coloured	fl.	1	...	3
71 indica	Indian	bl.	3
72 Monelli	Monelli's	fgh.	6-9	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
73	Anagallis Monelli, major	larger (flowered)	5	25	122	fgh	s. bl.	1	6-9	6
74	— Philipsi	Philips'	6
75	— superba	superb	bl.	1 0
76	— — —	finest mixed	div.	1 0
77	Anemone hortensis	garden (star)	13	35	124	hhpt	5-7	6
78	Coronaria	(Poppy Anemone)	1½	...	6
79	— nova	(new early)	3-6	6
80	Hudsoniana	Hudson's Bay	wh.	...	4-6	6
81	Pulsatilla	(Pasque-flower)	vio.	½	5-6	6
82	Anomathæca cruenta	blood-red	3	25	97	...	red	1	6-9	6
83	Anthræicum annuum	annual	6	...	100	ha	yel.	¾	7-8	6
84	Lilæstrum	lily-like	hp	wh.	1½	5-6	3
85	Aquilegia formosa	beautiful	13	30	124	hpt	r & o.	2	5-7	6
86	canadensis	Canadian	2½	...	6
87	elatior	— taller	3	...	6
88	glandulosa	glandular	w & b	2	...	6
89	grandiflora	large-flowered	bl.	3
90	sibirica	Siberian	b & w	3
91	Skinneri	Skinner's	6
92	speciosa	showy	bl.	3
93	— — —	fine mixed	div.	6
94	— — —	30 new var.	1 0
95	Arabis alpina	alpine	15	61	83	...	w & y	¾	4-6	3
96	Argemone grandiflora	large-flowered	13	25	114	ha	wh.	2½	7-8	6
97	Hunnemania	Hunneman's	yel.	2	...	6
98	mexicana	Mexican	3
99	Aristolochia, sp.**	(fine species)	20	41	66	G.	cl.	6
100	Asclepias curassavica	Curassoa	5	26	67	...	sc.	2½	7-9	6
101	Asphodelus fistulosus	fistulose	6	25	100	hp	wh.	1½	6-9	6
102	Aster pendulus	pendulous	19	54	79	hpt	bl.	2	6-8	6
103	tenellus*	slender	1	...	6
104	Astragalus, 6 sp.	(6 species, mix.)	17	45	99	hpt	div.	2	6-9	6
105	sp. Montes Him.	Himalayan sp.	6
106	Athanasia annua	annual	19	53	79	ha	yel.	¾	7-8	3
107	Azulea, pl. sp. et var.	(20 fine var.)	5	25	87	hp	div.	2½	5-7	1 0
108	Bartonia aurea	golden	13	...	103	ha	yel.	2	7-9	3
109	Begonia incarnata	flesh-coloured	21	48	69	G.	fl.	...	7-8	6
110	nitida	shining	S.	wh.	6
111	Bignonia, 3 sp.**	(3 fine species)	14	59	70	G.	div.	cl.	6-9	6
112	Billardiæra, 3 sp.**	(3 fine species)	5	25	116	6
113	Blumenbachelia insignis	beautiful	18	48	103	ha	w & r	tra	7-8	6
114	Bomarea Salsilla**	Salsilla	6	25	64	hlp†	g & c.	cl.	7-9	6
115	variabilis**	variable	div.	1 0
116	Boronia ledifolia	Ledum-leaved	8	...	128	G.	wh.	1½	4-6	6
117	Bossiaea, 2 sp.	(2 fine species)	16	45	99	...	yel.	2	5-8	6
118	Brachycome iberidifolia	Iberis-leaved, ext.	19	54	79	hha	bl & c	...	7-9	1 0
119	— grandiflora	large-flowered	1 0
120	Brachysema latifolium	broad-leaved	10	25	99	G.	cr.	6	5-8	1 0
121	Browalia elata	upright	14	59	129	gha	pur.	2	6-8	6
122	— alba	white	wh.	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price.	
No.							feet		s. d.	
123	Brunfelsia, sp.	(fine species)	14	59	129	G.	yel.	4	6-8	6
124	Cacalia coccinea	scarlet	19	53	79	hha	sc.	3	7-8	3
125	— aurca	golden	or.	6
126	Calampélis scabra**	rough (podded)	14	59	70	hht†	...	cl.	6-9	6
127	longiflora**	long-flowered	d.o.	6
128	Calandrinia discolor	two-coloured	11	25	121	hha	rose	2	7-8	6
129	grandiflora	large-flowered	p.r.	3
130	speciosa	showy	pur.	3	...	3
131	Calceolaria pinnata	winged	2	...	129	...	yel.	1½	...	6
132	hybrida	new spotted	fgh	div.	2	6-9	1 6
133	— — —	finest mixed	1 0
134	Calliopsis (Coreopsis)	(finest mixed)	19	55	79	hha	7-9	6
135	bicolor	two-coloured	y&r.	3
136	— atrosanguinea	dark-red	d.r.	3
137	— fistulosa	quilled	y&r.	6
138	— nigra speciosa	showy black	dark	6
139	— grandiflora	large-flowered	y&r.	3
140	— semiplœna	semi-double	6
141	Drummondii	Drummond's	y&d.	1	...	2
142	Atkinsonia	Atkinson's	hpt	yel.	3	...	3
143	Callichroa platyglossa	(broad-rayed)	...	56	...	hha	...	1	7-8	3
144	Callistachys ovata	ovate	10	25	99	G.	...	4	6-8	6
145	Caltha Govaniana	(new sp. Tartary)	13	35	124	1 0
146	Campánula carpatica	Carpathian	5	25	73	hpt	bl.	1	6-8	3
147	grandiflora	large-flowered	1	...	6
148	grandis	grand	3	...	6
149	latifolia, 2 sp.	broad-leaved	p&w	3	...	3
150	Mœdium	(Canterb. Bell)	bl.	2	...	3
151	— alba	white	wh.	3
152	— flore-plœno	double (3 var.)	div.	6
153	persicifolia	peach-leaved	b&w	3
154	pyramidalis	pyramidal	hp	bl.	3	...	3
155	— alba	— white	wh.	3
156	spatulata	spatulate	hbt	bl.	1	...	3
157	stricta	upright	1½	...	6
158	trachelioïdes	Trachelium-like	3	...	3
159	Lœrei	Lœre's	ha	...	1	7-8	3
160	— alba	— white	wh.	3
161	pentagœnia	five-angled	pur.	3
162	— alba	— white	wh.	3
163	Canna coccinea	scarlet	1	...	107	S.	sc.	2	year	6
164	Carthamus tinctorius	dyers'	19	53	79	ha	or.	5	7-9	3
165	Catananche lutea	yellow	yel.	1	7-8	3
166	cœrulea	blue	hpt	bl.	2	6-8	3
167	— bicolor	two-coloured	w&c	6
168	Celsia crœtica	Cretan	14	59	132	...	yel.	6	7-8	3
169	Centaurea americana	American	19	55	79	fgh	red	2	8-9	6
170	atropurpurea	dark purple	hpt	pur.	...	7-9	6
171	depressa	dwarf	ha	b&r.	3
172	splendens decusta	splendid	hbt	red	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		<i>s. d.</i>	
173	<i>Cereus triangularis</i>	<i>triangular</i>	12	25	72	S. wh.	1½	7-8	6	
174	<i>Cbeiranthus fenestralis</i>	<i>transparent</i>	15	61	83	hbbt pur.	1	...	6	
175	<i>Chelidæc barbata</i>	<i>bearded</i>	14	59	129	hhpt se.	2	...	6	
176	<i>Lyoni</i>	<i>Lyon's</i>	pur.	2	...	6	
177	<i>Chorozeia</i>	(3 fine species)	10	25	99	G. yel.	...	5-6	6	
178	<i>Cineraria</i> , pl. var.	(splendid mixed)	19	54	79	fgh div.	...	5-7	1 6	
179	<i>Cistus</i> , pl. sp.	(finest mixed)	13	25	76	hhpt	6-9	1 0	
180	<i>Cladanthus arabicus</i>	<i>Arabian</i>	19	54	79	ha yel.	1	7-8	3	
181	<i>Clarkia elegans</i>	<i>elegant</i>	8	25	112	...	li.	2	...	3
182	— <i>rosea</i>	— <i>rose-coloured</i>	rose	3	
183	— — <i>plena</i>	— <i>double rose</i>	3	
184	<i>puichella</i>	<i>pretty</i>	1½	...	3	
185	— <i>alba</i>	— <i>white</i>	wh.	3	
186	— <i>grandiflora</i>	— <i>large-flowered</i>	red	3	
187	— <i>fimbriata</i>	— <i>fringed</i>	w&r	6	
188	<i>Clématis Flammula**</i>	<i>flame</i>	13	35	124	hp	15	6-9	3	
189	<i>moutana**</i>	<i>mountain</i>	wh.	...	5-8	6	
190	<i>Cléome pentaphylla</i>	<i>five-leaved</i>	15	61	74	hha	...	2	7-8	6
191	<i>spinoza</i>	<i>spiny</i>	rose	6	
192	<i>Clianthus puniceus</i>	<i>granate-coloured</i>	17	45	99	G. sc.	6	6-8	6	
193	<i>Clintonia elegans</i>	<i>elegant</i>	16	40	104	hha bl.	1½	7-8	3	
194	<i>puichella</i>	(most beautiful)	3col.	6	
195	<i>Clitorea</i> , 2 sp.	(2 fine species)	17	45	99	S. l&r.	5	...	6	
196	<i>Cobæa scandens**</i>	<i>climbing</i>	5	25	77	G. pur.	30	6-9	6	
197	<i>Collinsia bicolor</i>	<i>two-coloured</i>	14	59	129	ha w&p	1½	7-8	3	
198	<i>grandiflora</i>	<i>large-flowered</i>	p&b.	1	...	3	
199	<i>heterophylla</i>	<i>various-leaved</i>	w&r.	1½	...	3	
200	<i>Collomia coccinea</i>	<i>scarlet</i>	5	25	118	...	se.	1	...	3
201	<i>Colutea</i> , 2 sp. Chile	(2 Chilean species)	17	45	99	G.	6	
202	<i>Commelina caelestis</i>	<i>sky-blue</i>	3	25	78	hhpt bl.	...	6-8	6	
203	— <i>alba</i>	(new white)	wh.	1 0	
204	<i>Convolvulus</i> , 3 sp.**	(3 fine species)	5	...	81	G. div.	cl.	...	1 0	
205	<i>Corydalis glauca</i>	<i>sea-green</i>	17	41	90	ha p&y.	2	7-8	3	
206	<i>Cosmanthus fimbriatus</i>	<i>fringed</i>	5	25	96	liha	6	
207	<i>Cosmea bipinnata</i>	<i>bipinnate</i>	19	55	79	...	pur.	2½	8-9	6
208	<i>Crotalaria elegans</i>	<i>elegant</i>	16	45	99	S. yel.	3	6-8	6	
209	<i>latifolia</i>	<i>broad-leaved</i>	yel.	6	
210	<i>purpurea</i>	<i>purple</i>	pur.	6	
211	— — —	<i>fine mixed</i>	y&p.	6	
212	<i>Crucianella stylosa</i>	<i>long-styled</i>	4	25	127	hpt pink	3	
213	<i>Cuphea sileuoides</i> [tum]	<i>Silene-like</i>	11	...	106	ha pur.	2	7-8	6	
214	<i>Cynoglossum glochida-</i>	(sky-blue)	5	...	71	hpt bl.	3	4-8	3	
215	<i>Cytisus</i> , 4 sp.	(4 fine species)	16	45	99	hp yel.	...	5-7	6	
216	<i>Dahlia glabrata</i>	<i>smooth</i>	19	54	79	hhpt div.	...	7-9	6	
217	<i>cosmeaeflora</i>	<i>Cosmea-flowered</i>	6	
218	<i>repens</i>	<i>trailing</i>	pur.	1	7-9	6	
219	<i>scapigera</i>	<i>scap-flowering</i>	6	
220	<i>variabilis</i> , fl. pl.	(fine double, mix.)	div.	3&c	...	1 0	
221	<i>Datura ceratocaula</i>	<i>horn-stalked</i>	5	25	132	hha stri.	2½	7-8	3	
222	<i>fastuosa</i>	<i>showy</i>	pur.	2	...	3	

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
223	<i>Datura fastuosa alba</i>	white	5	25	132	hha	wh.	2	7-8	3
224	<i>Delphinium aeneum</i>	pleasing	13	28	124	hpt	bl.	4	7-9	3
225	<i>cheilanthum</i>	lip-flowered	2½	3
226	<i>chinense</i>	Chinese	1½	3
227	— album	white	wh.	3
228	— — —	(mixed Chinese)	div.	6
229	<i>Clusii</i>	Cluse's	bl.	3	...	6
230	<i>grandiflorum</i>	large-flowered	1½	3
231	<i>lazuinium</i>	lazuline	l. b.	2½	...	3
232	<i>palmatifidum</i>	palm-cut	bl.	6
233	<i>punicum</i>	purple	pur.	6
234	<i>speciosum</i>	showy	bl.	3	1	0
235	<i>tricolor</i>	three-coloured	3col.	2½	...	6
236	<i>triste</i>	sad	br.	2	...	6
237	<i>volubile</i>	climbing	cl.	6
238	<i>urceolatum</i>	pitcher (shaped)	bl.	2	...	6
239	— — —	finest mixed	div.	2-3	...	6
240	<i>Dianthus atrorubens*</i>	(dark red Pink)	10	26	131	...	red	1	6-8	6
241	<i>barbatus</i>	(Sweet William)	hp	div.	1½	3
242	— coccineus	scarlet do.	sc.	6
243	— kermesinus	crimson do.	6
244	— flore-pleno	double do.	div.	6
245	<i>Caryophyllus</i>	(Carnation)	2	6-8	3
246	— flore-pleno	double do.	1	0
247	— — —	ext. fine German	hhp	...	2	6
248	— — —	Picotee, fine	hp	6
249	— — —	ext. fine German	hhp	...	2	6
250	<i>chinensis*</i>	(Indian Pink) ex.	hbt	...	1	6
251	— albus plenus	double white do.	wh.	6
252	<i>giganteus</i>	gigantic	red	4	...	6
253	<i>guttatus</i>	spotted	sp.	½	...	3
254	<i>hispanicus*</i>	Spanish	sc.	1	...	3
255	— splendens	splendid	6
256	<i>latifolius*</i>	broad-leave d	div.	3
257	<i>moschatus</i>	(Garden Pink)	hp	w&p	...	3
258	— flore-pleno	double	1	0
259	<i>plumarius, fl. pl.</i>	feathered, dou.	hpt	div.	...	6
260	<i>pulehellus</i>	pretty	hbt	6
261	<i>superbus</i>	superb	hpt	li.	1½	3
262	<i>Didiscus caeruleus</i>	blue (Trachymene)	5	25	136	hha	bl.	2	7-9	6
263	<i>Digitalis aurea</i>	golden	14	59	129	hpt	or.	3
264	<i>grandiflora</i>	large-flowered	buff	4	...	3
265	<i>lutea</i>	yellow	ycl.	2	...	3
266	<i>purpurea</i>	purple	pur.	3	...	3
267	— alba	white	wh.	3
268	— bicornuta	two-horned	3
269	— punctata	spotted	sp.	6
270	— rosea	rose	rose	3
271	<i>Winterli</i>	Winter's	3
272	<i>Diosma, 3 sp.</i>	(3 fine species)	5	25	128	G.	div.	1½	4-6	1 0

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		Li.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
273	Dodecátheon Mcadia	5	25	122	fgh	div.	1	5-7	1 0
274	Dolichos lignosus**	17	45	99	G.	pur.	cl.	6-8	6
275	Dracocéphalum altaïense	14	58	98	hpt	bl.	$\frac{1}{2}$...	6
276	argencense	$1\frac{1}{2}$...	6
277	canariense	hpt	p & p	2	...	3
278	Echinocactus Ottónis	12	25	72	S.	div.	6
279	Echium, 3 sp.	5	...	71	ha	b & r	2	7-8	6
280	Elichrysium macranthum	19	54	79	hha	rose	3
281	— album	wh.	3
282	robustum	6
283	Erica, 30 sp.	8	25	87	G.	div.	div.	div.	2 6
284	Erinus alpinus	14	59	120	hpt	li.	$\frac{1}{2}$	5-7	3
285	Erysimum alpinum	15	61	83	...	yel.	1	6-8	3
286	Peroffskiænum	ha	or.	$1\frac{1}{2}$...	3
287	Eschscholtzia crocea	13	29	114	hpt	or.	3
288	californica	yel.	3
289	compacta	1	...	4
290	— — —	Nos. 287 to 289	9
291	Encharidium concinnum	8	25	112	ha	pur.	1	7-8	3
292	grandiflorum	3
293	Eutœa multiflora	5	...	96	...	sla.	3
294	viscida	bl.	3
295	Wrangeliæna	li.	3
296	Farsætia clypeata	15	60	83	hpt	yel.	$1\frac{1}{2}$	6-7	3
297	Fœdia cornucopiæ	2	25	137	ha	red	1	7-8	3
298	Francoa appendiculata	8	29	91	hpt	pink	2	...	6
299	Fuchsia, pl. sp. et var.	...	35	112	fgh	div.	...	6-9	1 6
300	Gaillardia aristata	19	55	79	hp	or.	...	7-9	3
301	bicolor	y & b	3
302	Drummondii picta	ha	y & s	6
303	— coccinea	sc.	6
304	— — —	div.	6
305	Genista fragrans	16	45	99	G.	yel.	$2\frac{1}{2}$	6-8	6
306	3 sp.	6
307	Gentiana acaulis	5	26	93	hpt	bl.	$\frac{1}{2}$	4-7	6
308	canpestris	ha	pur.	$\frac{1}{4}$	7-8	6
309	lutea	hp	yel.	4	6-8	6
310	macrophylla	pur.	1	...	6
311	purpurea	3	...	6
312	nivalis	ha	bl.	$\frac{1}{4}$...	6
313	verna	hpt	6
314	Geranium ibericum	16	42	94	$1\frac{1}{2}$	7-8	6
315	Gespèra, 12 sp.	14	59	95	S.	div.	...	7-9	1 0
316	Gemma coccineum	12	35	126	hpt	sc.	2	...	3
317	— sanguineum	d. r.	6
318	— splendens	b. s.	6
319	Gilia achilleæfolia	5	25	118	ha	bl.	...	7-8	3
320	capitata	b & w	3
321	splendens	rose	$1\frac{1}{2}$...	3
322	tenuifolia	2	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded.

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Li.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.	
No.										
323	<i>Gilia tricolor</i>	three-coloured	5	25	118	ha	3col.	1	7-8	3
324	— <i>albo-cærulea</i>	white and blue	w & b	3
325	<i>Gladiolus</i> , 20 var.	(20 fine var.)	3	...	97	hlp	div.	2	6-9	1 0
326	<i>Gloxinia</i> , 12 sp. et var.	(12 fine sp. & var.)	14	59	95	S.	...	1½	...	1 0
327	<i>Godetia</i> (<i>œnothëra</i>)	(fine mixed)	8	25	112	ha	...	1	7-8	6
328	<i>bifrons</i>	two-fronted	p & c.	3
329	<i>concinna</i>	neat	p & r.	¼	...	3
330	<i>densiflora</i>	thick-flowered	pur.	¼	...	3
331	<i>lépida</i>	pretty	li.	1	...	3
332	<i>Lindleyana</i>	Dr. Lindley's	w & r.	3
333	<i>purpurea</i>	purple	pur.	3
334	<i>Romanzovii</i>	Romanzow's	3
335	<i>roseo-alba</i>	rose and white	r & w	3
336	<i>rubicunda</i>	blushing	pur.	1½	...	3
337	<i>tenuifolia</i>	fine-leaved	vio.	1	...	3
338	<i>viminea</i>	twiggy	li.	3	...	3
339	<i>vinosa</i>	wine-coloured	pur.	1	...	3
340	<i>Willdenovii</i>	Willdenow's	vio.	3
341	<i>Goodia lotifolia</i>	Lotus-leaved	16	45	99	G.	yel.	3	...	6
342	<i>pubescens</i>	pubescent	6
343	<i>Gossypium herbaceum</i>	(Cotton Plant)	...	48	108	S.	...	4	...	6
344	3 sp.	(3 fine species)	6
345	<i>Grislea tomentosa</i>	downy	8	25	106	...	red	3	5-6	6
346	<i>Gypsophila elegans</i>	elegant	10	26	131	ha	w & p	¾	7-8	3
347	<i>Hebeustreitia dentata</i>	indented	14	59	138	hha	wh.	1	6-8	6
348	<i>tenuifolia</i>	fine-leaved	6
349	<i>Hedychium</i> , sp.	(fine species)	1	25	107	hgh	yel.	4	6-9	6
350	<i>Helénium Douglassii</i>	Douglas's	19	54	79	ha	...	2	7-8	3
351	<i>Helianthemum</i> , pl. sp.	(finest mixed)	12	25	76	hpt	div.	1	6-8	6
352	<i>guttatum</i>	spotted	h	yel.	½	7-8	3
353	<i>Heliophila arabioides</i>	Arabis-like	15	61	83	hha	bl.	½	...	6
354	<i>Heliotropium peruvianum</i>	Peruvian	5	25	71	G.	...	3	...	6
355	<i>Hieracium speciosum</i>	showy	19	53	79	hp	yel.	...	6-7	3
356	<i>Hibiscus africanus</i>	African	16	48	108	ha	y & d	2	7-8	3
357	<i>Humboldti</i>	Humboldt's	yel.	6
358	<i>palustris</i>	marsh	hpt	wh.	3	...	6
359	— <i>roseus</i>	rose-coloured	pink	6
360	<i>insignis</i>	beautiful	S.	rose	6
361	<i>Manihot</i>	Manihot	G.	y & p	6
362	<i>militaris</i>	military	pur.	6
363	<i>speciosus</i>	showy	sc.	2	...	6
364	— — —	5 fine sp. mixed	div.	2&c	...	1 0
365	<i>Hovea Celsi</i>	Cels's	16	45	99	...	bl.	6	6-8	1 0
366	sp. <i>affinis</i>	related	red	1 0
367	<i>Humea elegans</i> [folia]	elegant	19	53	79	hpt	red	5	6-9	6
368	<i>Hunnemannia fumaria-</i>	<i>Fumaria</i> -leaved	12	29	114	hpt	yel.	2	7-8	6
369	<i>Hypericum elegans</i>	elegant	18	48	115	6
370	<i>Iberis Tenoreana</i>	Tenore's	15	60	83	...	r & p	1	...	6
371	<i>Impatiens glandulifera</i>	glandular	5	25	68	hha	pur.	3	6-9	3
372	<i>tricornis</i>	three-horned	yel.	6	...	3

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			Li.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
373	<i>Incarvillea capensis</i> **	<i>Cape</i>	14	59	70	G.	or.	8	7-9	6
374	<i>Ipomœa coccinea</i> **	<i>scarlet</i>	5	25	81	ghh	sc.	...	6-9	6
375	<i>bôna-nox</i> **	<i>Good Night!</i>	wh.	10	...	6
376	— <i>purpurascens</i> *	<i>purple</i>	pur.	6
377	<i>Quamœdit</i> *	<i>(bright scarlet)</i>	sc.	6	...	6
378	<i>rûbro-cærûlea</i> *	<i>(sky-blue) true</i>	s. b.	10	...	2 6
379	<i>Sellôwii</i> *	<i>Sellow's</i>	1 0
380	<i>tyrianthina</i> *	<i>purple</i>	pur.	2 6
381	<i>sp. punctata</i> *	<i>spotted</i>	w&p	6
382	<i>sp. semperflorens</i> *	<i>ever-flowering</i>	bl.	6
383	— — —	<i>6 fine sp. mixed</i>	div.	1 0
384	<i>Nil</i> *	<i>(Anil-blue)</i>	lha	bl.	...	7-9	6
385	<i>trilôba</i> *	<i>three-lobed</i>	3
386	<i>suprba</i> *	<i>superb</i>	rose	3
387	<i>Ipomopsis elegans</i>	<i>elegant</i>	118	hbt	sc.	2	...	6
388	<i>picta</i>	<i>painted</i>	3	...	6
389	<i>Isôtoma axillaris</i>	<i>axillary</i>	104	hbp	bl.	1	7-8	6
390	<i>Kaufussia amelloides</i>	<i>Amellus-like</i>	19	54	79	ha	...	$\frac{3}{4}$...	3
391	<i>Kennèdia Comptoniana</i> **	<i>Compton's</i>	17	45	99	G.	...	cl.	5-9	6
392	<i>Marryattæ</i> **	<i>Mrs. Marryatt's</i>	sc.	...	6-9	1 0
393	<i>monophylla</i> **	<i>single-leaved</i>	bl.	6
394	<i>prostrata</i> **	<i>trailing</i>	sc.	6
395	<i>sp. coccinea</i> **	<i>scarlet species</i>	6
396	<i>sp. australis</i> **	<i>New Holland sp.</i>	6
397	<i>Lablab purpurea et alba</i>	<i>purple & white</i>	p&w	6	...	6
398	<i>Lantana Selloviana</i>	<i>Sellow's</i>	14	59	138	hbp	pur.	1 $\frac{1}{2}$...	6
399	<i>Lasthènia californica</i>	<i>Californian</i>	19	54	79	la	ycl.	2	7-8	3
400	<i>glabrata</i>	<i>smooth</i>	3
401	<i>Láthyrus</i> , 3 sp.	<i>(3 fine species)</i>	17	45	99	hpt	div.	6	...	6
402	<i>Lavatera arborea</i>	<i>tree-like</i>	16	48	108	...	pur.	...	6-8	3
403	<i>Salvitellensis</i>	<i>Salvitella</i>	ha	pink	2	7-8	3
404	<i>Lawsônia inermis</i>	<i>unarmed</i>	8	25	106	ghh	wh.	8	6-8	1 0
405	<i>Leptósiphon densiflorus</i>	<i>thick-flowered</i>	5	...	118	ha	li.	1	7-8	3
406	<i>androsæcus</i>	<i>Androsæe-like</i>	div.	$\frac{3}{4}$...	3
407	— <i>allus</i>	<i>white</i>	wh.	3
408	<i>Leucadendron argentum</i>	<i>(Silver Tree)</i>	22	39	123	G.	yel.	6	...	1 0
409	<i>Leycesteria formosa</i>	<i>beautiful</i>	5	25	75	hp	w&p	...	7-9	6
410	<i>Leucopsidium arkanscum</i>	<i>Arkansa's</i>	6
411	<i>Leucospermum conocar-</i>	<i>cone-fruited</i>	4	25	123	G.	yel.	3	5-8	6
412	<i>Liàtris spicata</i> [pum]	<i>spiked</i>	19	53	79	bpt	pur.	6	7-9	6
413	<i>Linum grandiflorum</i>	<i>large-flowered</i>	5	30	102	...	bl.	1	6-7	3
414	<i>monógynum</i>	<i>one-styled</i>	wh.	3	7-8	6
415	<i>perenne</i>	<i>perennial</i>	bl.	2	...	3
416	<i>Limnanthes Douglassii</i>	<i>Douglas's</i>	10	25	101	ha	w&y	$\frac{3}{4}$...	3
417	<i>grandiflora</i>	<i>large-flowered</i>	1	...	6
418	<i>Linària</i> , 6 sp.	<i>(6 fine species)</i>	14	59	129	...	div.	1 0
419	<i>Lisianthus Russellianus</i>	<i>(D. of Bedford's)</i>	5	25	93	G.	pur	3	7-8	1 0
420	<i>Loàsa Herberti</i> **	<i>Hon. Mr. Her-</i>	18	48	103	hbp	d.o.	cl.	6-8	6
421	<i>aurantiaca</i> **	<i>orange</i> [bert's]	or.	6
422	<i>lúcida</i> **	<i>shining</i>	w&s	1 0

A — indicates a variety. () That the word is not literally translated, or is superadded.

A — indicates a variety. () That the word is not literally translated, or is superadded.		L.	O.	N. O.	Il. & Dur.	Col. of F.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
423	Loisa Pentlandica**	18	48	103	bhp+		cl.	6-8	6
424	Placci	ha	yel.	2	7-8	3
425	tricolor	3col.	3
426	Lobelia azurea	5	25	104	bhp+	bl.	1	...	6
427	bicolor	ha	6
428	erinoides	bhp+	...	1	...	6
429	— rosea	rose	6
430	gracilis	ha	bl.	1	...	3
431	— alba	wh.	3
432	heterophylla	bhp+	bl.	2	...	6
433	ignea	G.	sc.	6
434	ramosa	bhp+	b & w	1 1/2	7-8	6
435	senecioides, v. 389	bl.	1	...	6
436	Lopospermum scandens	14	59	129	G.	blsh.	cl.	7-9	6
437	— Hendersoni**	spot.	6
438	atrosanguineum**	d. r.	6
439	crubescens**	pur.	6
440	Lotus albidus	17	45	99	gha	wh.	6
441	jacobiensis	dark	1 1/2	7-8	6
442	Lupinus bicolor	16	ha	p & b	1	...	3
443	Hartwegii	b & w	2	...	3
444	mexicanus	bl.	3
445	mutabilis	var.	3	...	3
446	— Cruikshanksii	3	...	3
447	nanus	p & b	1	...	3
448	arborescens	bpt	div.	4	...	3
449	elegans	b & r	2	...	6
450	formosus	w & b	3	...	6
451	lepidus	b & p	1 1/2	...	6
452	polyphyllus	bl.	3	...	3
453	— albus	wh.	3
454	— — —	div.	2&c	...	1 0
455	Lychnis fulgens	10	30	131	bhpt	sc.	1	...	6
456	chalcédonica	hp	...	2	...	3
457	— alba et rosea	w & r	6
458	flos-Jovis	bpt	red	1	...	3
459	Githago	ha	3
460	Lythrum alatum	11	25	106	bhp+	pur.	3	5-9	3
461	roseum superbum	rose	6
462	Madia elegans	19	54	79	hha	yel.	...	7-8	3
463	Málope trifida	16	48	108	hha	pur.	2	...	3
464	— grandiflora	3
465	— alba	wh.	3
466	Malva elegans	G.	sc.	3	5-8	6
467	moschata	bpt	wh.	2	7-8	3
468	Moreni	red	3
469	zebrina	ha	stri.	3
470	Manulea violacea	14	59	129	hhp	vio.	2	...	3
471	Martynia proboscidea	130	hha	li.	...	7-9	6
472	fragrans (formosa)	var.	1 0

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			U.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.										feet		s. d.
473	Marianthus cæruleus	blue						G				6
474	Maurandya Barclayana	Barclay's**	14	59	129	b & w	el.	4-9		6
475	— alba**	white variety	wh.		6
476	antirrhiniflora**	Antirrhinum-fl.	p & w		6
477	semperflorens**	ever-flowering	ha	pink	...		6
478	— pulchella**	pretty	rose		6
479	Melaleuca, 3 sp.	(3 fine species)	18	48	109	y & r	4			6
480	Menziesia, 2 sp.	(2 fine species)	8	25	87	w & r	1	5-7		6
481	Mesembryanthemum sp.	(fine yellow)	12	27	89	lha	...	yel.	$\frac{1}{2}$	6-8		6
482	tricolor (pyropæum)	three-coloured	red		6
483	— album	white	wh.		6
484	Mimulus cardinalis	scarlet	14	59	129	hht	...	se.	2	...		3
485	moschatus	musk	sp.	$\frac{1}{2}$...		3
486	— novus	new musk	sp.	$\frac{3}{4}$...		6
487	roseus	rose-coloured		3
488	— — —	finest mixed new	div.	1	...		6
489	— — —	fine do.		3
490	Muraltia Heisteria	Heister's	17	43	119	G.	...	put.	3	5-8		6
491	Nemësia floribunda	bunch-flowered	14	59	129	hha	...	w & y	$\frac{1}{2}$	7-8		3
492	Nemóphila aurita	ear-shaped	5	25	96	ha	...	vio.	2 $\frac{1}{2}$...		3
493	atomaria	spotted	wh.	1	...		3
494	— azurea	— blue	sp.		3
495	diseoidalis	(bordered)	bla.		6
496	insignis	beautiful	bl.		3
497	— alba	— new white	wh.		6
498	— grandiflora	— large-flowered	bl.		3
499	— punctata	— spotted	sp.		6
500	phacelioides	Phacelia-like	bl.		6
501	Nigella hispauica	Spanish	13	30	124		3
502	Nolane atriplicifolia	Atriplex-leaved	5	25	132	hha	3 col.	1		3
503	grandiflora	large-flowered	bl.		3
504	paradoxa	paradoxical	vio.		3
505	prostrata	prostrate	bl.		3
506	Nouca rosea	rose-coloured	71	ha	rose		3
507	Nuytsia floribunda	bunch-flowered	6	...	105	G.	sul.	6	...	1 0		
508	Nymphaea, 2 sp.	(2 fine species)	13	...	111	S.	bl.	trai	6-9	1 0		
509	Oenothera acaulis	stemless	8	...	112	hpt	wh.	...	6-8	...		3
510	bieunis	biennial	hbt	yel.	2 $\frac{1}{2}$		3
511	Drummondii	Drummond's	ha	...	trai		6
512	Fraseri	Fraser's	hht	...	1		3
513	hirsuta	hairy		6
514	longiflora	long-flowered	hbt	yel.	1 $\frac{1}{2}$		3
515	macrantha	large-flowered	ha	wh.	1		6
516	odorata	fragrant	hbt	...	2		3
517	rosea	rose-coloured	hlt	rose	1	5-7	...		3
518	Sellowii	Sellow's	yel.		3
519	speciosa	showy	ha	wh.	2	7-9	...		6
520	taraxacifolia	Dandelion-leaved	hpt	yel.	$\frac{1}{2}$		6
521	tetraptera	four-winged	ha	wh.	1	7-8	...		3
522	— — —	finest mixed	hpt	w & y	1	5-8	...		6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
No.										
523	<i>Ononis rotundifolia</i>	round-leaved	16	45	99	hpt	pink	3	5-7	6
524	<i>Oxalis rosea</i> [des	rosea	10	30	113	hhpt	rosc	1	7-8	6
525	<i>Oxyura chrysanthemoides</i>	<i>Chrysanthem.-fl.</i>	19	54	79	ha	w&y	3
526	<i>Pæonia</i> , 30 sp. et var.	30 fine sp. et var.	13	26	124	hp	div.	2&c	...	5 0
527	— — —	finest mixed	1 0
528	<i>Papaver amœnum</i>	pleasing	13	25	114	ha	ver.	2	...	3
529	<i>pulcherrimum</i>	beautiful	hpt	sc.	3	...	3
530	6 sp.	6 finest mixed	div.	6
531	<i>Passiflora cærulea</i> **	blue-flowered	16	40	115	...	bl.	cl.	6-9	6
532	4 sp.**	finest mixed	G.	div.	1 0
533	<i>Pawlonia imperialis</i>	imperial	6
534	<i>Pelargonium</i> (<i>Geranium</i>)	(finest mixed)	16	42	94	G.	div.	3	7-9	2 6
535	— — —	small packet	1 0
536	<i>coccineum</i>	scarlet	sc.	1 0
537	— <i>nanum</i>	(Tom Thumb)	1 0
538	<i>Pentapetes phœnicea</i>	purple	...	46	108	2	...	6
539	<i>Pentstemon atrorubens</i>	dark-red	14	59	129	hpt	d. r.	6
540	<i>campanulatum</i>	bell-flowered	pnr.	3
541	— <i>album</i>	white	wh.	3
542	<i>digitalis</i>	<i>Digitalis</i> -like	pale	3
543	<i>gentianoides</i>	<i>Gentian</i> -like	cr.	3
544	— <i>coccineum</i>	scarlet	sc.	6
545	<i>gracilis</i>	slender	bl.	3
546	<i>hirsutum</i>	hairy	p. p.	3
547	<i>Mackayanum</i>	<i>Mackay's</i>	p&y.	3
548	<i>roseum</i>	rose-coloured	rose	3
549	<i>Scouleri</i>	<i>Scouler's</i>	bl.	6
550	<i>speciosum</i>	showy	s. b.	1 0
551	— — —	finest mixed	div.	1 0
552	<i>Petunia phœnicea</i>	purple	5	25	132	hhpt	pnr.	...	6-9	3
553	<i>violacea</i>	violet	vio.	3
554	<i>nyctaginiflora</i>	(white)	wh.	3
555	— — —	(splendid mixed)	div.	1 0
556	<i>Phacelia</i> , 2 sp.	(2 fine species)	96	ha	bl.	...	7-8	3
557	<i>Phlox Drummondii</i> , 20 v.	<i>Drummond's</i>	118	lha	div.	1½	6-9	6
558	— <i>splendens</i>	splendid	sc.	1 0
559	— <i>kermesina</i>	crimson	cr.	1 0
560	— <i>mesochlora</i>	white-centred	rose	1 0
561	pl. sp. <i>perennans</i>	perennial, mixed	hpt	div.	2	...	6
562	<i>Pimelia</i> , 3 fine sp.	(3 fine species, m.)	2	...	134	G.	...	3	...	1 0
563	<i>Pinus Acahuyte</i>	<i>Acahuyte</i> (new)	10	49	80	Tree	2 6
564	<i>Platyllobium triangulare</i>	triangular	16	45	99	G.	or.	4	6-9	6
565	<i>Platystemon californicum</i>	<i>Californian</i>	13	25	114	ha	ycl.	½	7-8	6
566	<i>Podolëpis elchrysantha</i>	golden-flowered	19	54	79	lha	6
567	— <i>gracilis</i>	slender	pur.	3
568	<i>Poinciana pulcherrima</i>	beautiful	10	25	99	S.	3col.	10	6-9	6
569	— <i>lutea</i>	yellow	ycl.	6
570	<i>Portulaca grandiflora</i>	large-flowered	11	...	121	lha	var.	½	7-9	6
571	<i>splendens</i>	splendid	c.w.	6
572	<i>Thellusoni</i>	<i>Thelluson's</i>	sc.	6

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>			Cl.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			Li.	Li.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
573	Potentilla formosa	beautiful	12	35	126	hp†	pur.	1½	...	s. d. 3
574	atrosanguinea	dark-red	red	3
575	— Garnieriàna	Garnier's	y & r.	1 0
576	Mackayana	Maekag's	y & p.	6
577	— — —	fine mixed	div.	6
578	Prímula cortusoides	Cortusa-like	5	25	122	G.	pur.	½	5-7	6
579	sincensis fimbriata	fringed	1	...	6
580	— alba	white	wh.	6
581	— — —	mixed	w & p.	6
582	nivalis	snowy	pur.	½	5-7	6
583	Pultenaea, 6 sp.	(6 fine species)	10	25	99	1 0
584	Ramonda pyrenæica	Pyrenæan	5	...	132	hp†	pur.	¼	6-8	6
585	Ranunculus asiaticus	Asiatic (extra)	13	35	124	hp	div.	1	6-8	1 0
586	Rhodanthé Manglèsii	Capt. Mangles'	19	54	79	hha	rose	6
587	Rhododendron, pl. sp.	(finest mixed)	10	25	87	hp	div.	1 0
588	Sanvitalia procumbens	procumbent	19	54	79	hha	yel.	trai	7-9	6
589	Salpiglossis picta	painted	14	59	132	hbb†	var.	2	6-9	6
590	atropurpurea	dark-purple	pur.	6
591	— — —	splendid mixed	div.	1 0
592	Saponaria calábrica	Calabrian	10	26	131	ha	pink	¾	7-9	6
593	Salvia bicolor	two-coloured	2	25	98	hp†	b & w	3	...	6
594	coccinea	scarlet	sc.	2	...	6
595	dulcis	sweet	6
596	limbata	bordered	bord	2½	...	3
597	pátens	(sky-blue)	bl.	4	...	1 0
598	Schizanthus Grahàmi	Graham's	14	59	129	hha	r & y	2	7-9	6
599	Hookeri	Sir W. Hooker's	r & l	6
600	retusus	retuse	c & y	6
601	— superbus	superb	var.	3
602	pinnatus	winged	ha	l.p.y.	1½	7-8	6
603	— humilis	dwarf	l.r.y.	1	...	3
604	— porrigens	spreading	l.p.y.	1½	...	3
605	— Priestii	Priest's	wh.	3
606	— pulchellus	pretty	w & p.	3
607	— venustus	beautiful	dark	3
608	Schizopétalon Walkèri	Walker's	15	61	83	hha	wh.	1	7-8	6
609	Scutellaria, 4 sp.	(4 fine species)	14	58	98	hp†	div.	...	6-8	6
610	splendens	splendid	sc.	1 0
611	Scyphanthus elegans**	elegant	18	48	103	hbp†	yel.	cl.	7-9	6
612	Sedum ceruleum	blue-flowered	10	30	82	...	bl.	¾	...	6
613	Silène fimbriata	fringed	...	28	131	hp†	wh.	2½	5-8	6
614	compacta	compact	ha	pink	1½	7-8	3
615	pendula	pendulous	rose	1	...	3
616	picta	painted	pink	3
617	règia	royal	hp†	sc.	1½	6-9	6
618	ornata	ornamented	hbp†	pur.	1	5-8	6
619	Sisyrinchium anceps	two-edged	3	25	97	hp	bl.	1½	6-9	6
620	grandiflorum	large-flowered	1 0
621	Sollya heterophylla**	various-leaved	5	...	99	G.	...	6	7-9	6
622	Sphænogyne speciosa	showy	19	55	79	hha	y & d	1½	7-8	6

A — indicates a variety. () That the word is not literally translated, or is superadded.

<i>A — indicates a variety. () That the word is not literally translated, or is superadded.</i>		L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
623	Stachys coccinea	scarlet	14	58	98	hp†	sc.	1½	6-8	6
624	speciosa	showy	6
625	Státice latifolia	broad-leaved	5	30	117	hp	bl.	1	5-7	3
626	Stenactis speciosa	showy	19	54	79	hp†	pur.	2	6-8	3
627	Stenanthera, 4 sp.	(4 fine species)	5	25	86	G.	1
628	Stèvia purpurea	purple	19	54	79	hp†	pur.	1	7-9	3
629	Stipa pennata	feathered	3	26	92	...	gr.	2	...	6
630	Streptocarpus Rexii	Rex's	2	25	70	G.	bl.	½	6-8	6
631	Sutherlandia frutescens	frutescens	17	45	99	hhp†	sc.	3	7-8	3
632	grandiflora	large-flowered	6
633	Tagètes lucida	shining	19	54	79	hhp†	yel.	1	...	6
634	signata	distinguished	hha	or.	6
635	Thunbergia alata**	winged	2	25	62	G.	y & d	cl.	6-9	6
636	— alba**	white	w & d	6
637	— aurantiaca**	orange	o & d	6
638	— Barkèri**	Barker's	wh.	6
639	— Freyeri**	Freyer's	yel.	6
640	— mesochlora**	white-centred	y & w	1 0
641	— Zeihèri**	Zeiber's	o & w	1 0
642	chrysops**	yellow-eyed.	1 0
643	Tigridia Pavonia	(Tiger-flower)	16	38	97	hhp	o & r	1	7-9	3
644	Trachelium cæruleum	blue	5	25	73	hp†	bl.	2	7-8	6
645	Tropæolum azureum**	blue (Naslurton)	8	...	135	G.	...	cl.	6-9	1 0
646	brachyceras**	short-horned	yel.	1 0
647	elegans**	elegant	pale	1 0
648	Jarattii**	Mr. Jarratt's	s & y	1 0
649	tricolorum**	three-coloured	3col.	1 0
650	sp. ex Chili**	Chilian species	b. y.	1 0
651	— — —	Nos. 645 to 650.	div.	5 0
652	peregrinum**	(Canary-Bird)	hha	yel.	6
653	Tweedia cærulea	blue	5	26	67	G.	bl.	3	...	6
654	Verbascum formosum	beautiful	5	25	132	hp†	yel.	2	7-8	3
655	3 species	(3 fine species)	div.	6
656	Verbena Aubletia	Aublet's	14	59	138	hhp†	li.	1	6-9	6
657	pulchella	pretty	bl.	6
658	venosa	veiny	rose	6
659	— — —	(beautifulmixed)	div.	1 0
660	Verónica speciosa	showy	2	25	129	2	...	1 0
661	Viscaria cœli-rosa	Rose of Heaven	10	30	131	ha	fl.	1	7-8	3
662	oculata	(dark-eyed)	rose	6
663	— grandiflora	large-flowered	1 0
664	— kermesina	crimson	cr.	1 0
665	Viuca rosea et alba	rose and white	5	25	65	ghh	r & w	...	3-9	6
666	Viola odorata	fragrant	139	hp†	div.	...	5-7	6
667	suavis	sweet (Russian)	bl.	6
668	Wahlenbergia capillaris	capillary	73	6-8	6
669	Ximenesia cneclioides	Eneetia-like	19	54	79	hhp†	yel.	3	7-9	3
670	Yucca, 2 sp. Mexico	(2 Mexican sp.)	6	25	100	1 0
671	Zinnia elegans	elegant	19	54	79	hha	vio.	2	...	6
672	— alba	white	wh.	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
673	<i>Zinnia elegans crœcea</i>	orange	19	54	79	hha	or.	2	7-9	6
674	— <i>atro-coccinea</i>	dark-scarlet	d. s.	6	
675	— <i>coccinea</i>	scarlet	sc.	6	
676	— <i>flava</i>	yellow	yel.	6	
677	— <i>grandiflora</i>	large-flowered	pur.	6	
678	— <i>kermesina</i>	crimson	cr.	6	
679	— <i>purpurea</i>	purple	pur.	6	
680	— <i>rosea</i>	rose-coloured	rose	6	
681	— <i>zinnaberrina</i>	carmine	car.	6	
682	— — —	Nos. 671 to 681.	5 0	
683	— — —	splendid mixed	div.	1 0	
684	<i>Fine mixed Greenhouse Seeds from the Cape, New Holland, &c.</i>									1 0
685	<i>Fine mixed Hothouse Seeds from the East Indies, South America, &c.</i>									1 0

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Flos Adonis, White Candytuft, &c., having no affinity with the Latin, are not to be considered as translations.

<i>A</i> — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
686	Aster, Chinese, m.	<i>Aster sinensis, pl. var.</i>	19	54	79	hha	div.	2	8-10	3
687	quilled (German)	— <i>fistulosus, 20 v.</i>	6
688	dark blue	— <i>atro-cæruleus</i>	d. b.	4
689	light blue	— <i>læte-cæruleus</i>	l. b.	4
690	rose	— <i>roseus</i>	rose	4
691	Turkey	— <i>turcius</i>	d. r.	4
692	white	— <i>albus</i>	wh.	4
693	Anemone-flower.	— <i>anemonæföorus</i>	red	4
694	bordered, 4 var.	— <i>limbatus</i>	bor.	6
695	new globe, 12 var.	— <i>globosus</i>	div.	6
696	pyramidal, 6 var.	— <i>pyramidalis</i>	6
697	striped, 6 var.	— <i>striatus</i>	6
698	variegated, 6 var.	— <i>variegatus</i>	6
699	new dwarf, 12 var.	— <i>nanus novus</i>	1	7-9	...	6
700	Nos. 686 to 699	— — —	5	0
701	Auricula, fine alpine	<i>Primula Auricula</i>	5	25	122	hp	div.	$\frac{1}{2}$	5-7	6
702	extra fine	— — —	2	6
703	Balsam, finest mixed	<i>Balsamina hortensis</i>	68	ta	...	2	7-9	6
704	dark lilac	— <i>atro-lilacina</i>	d. l.	4
705	flesh-coloured	— <i>incarnata</i>	fl.	4
706	— variegated	— <i>variegata</i>	var.	4
707	purple	— <i>purpurea</i>	pur.	4
708	rose	— <i>rosea</i>	rose	4
709	— shaded	— <i>umbrösa</i>	6
710	scarlet	— <i>coccinea</i>	sc.	4

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
711	Balsam, sc. shaded	— <i>coccinea umbrosa</i>	5	25	68	ta	sc.	2	7-9	6
712	— variegated	— — <i>variegata</i>	var.	6
713	spotted, 6 var.	— <i>punctata</i>	div.	6
714	striped, 6 var.	— <i>striata</i>	6
715	three-coloured	— <i>tricolor</i>	3col.	6
716	Camellia-fl. 10 var.	— <i>Camelliaeflora</i>	div.	1 0
717	rose-fl. 10 var.	— <i>roseiflora</i>	1 0
718	dwarf scarlet	— <i>coccinea nana</i>	sc.	1	...	3
719	new mixed dwarf	— <i>nana, pl. var.</i>	div.	6
720	Candytuft, fragrant	<i>Iberis odorata</i>	15	60	83	ha	wh.	...	7-8	3
721	new blush	<i>umbellata carnea</i>	fl.	3
722	new crimson	— <i>kermesina</i>	crim.	3
723	new rocket	— <i>coronaria</i>	wh.	3
724	purple	— <i>purpurea</i>	pur.	3
725	white	<i>amara</i>	wh.	3
726	mixed	— — —	div.	3
727	Capsicum, 10 var.	<i>Capsicum annuum</i>	5	25	132	ta	...	2	7-9	6
728	Catchfly, Lobel's	<i>Silene Armaria</i>	10	28	131	ha	red	1	7-8	3
729	white	— <i>alba</i>	wh.	3
730	Cockscomb, dwarf	<i>Celsia cristata, nana</i>	5	25	63	ta	cr.	...	7-9	6
731	Brighton prize	— — —	6
732	bordered, 4 var.	— <i>eincta</i>	div.	1½	...	6
733	rose	— <i>rosea</i>	rose	6
734	scarlet	— <i>coccinea</i>	sc.	6
735	yellow	— <i>flava</i>	yel.	6
736	mixed	— — —	div.	6
737	Columbine, mixed	<i>Aquilegia vulgaris</i>	19	30	124	hpt	...	2	5-7	3
738	Chrysanthemum, y.	<i>Chrysan. Coronarium</i>	19	54	79	ha	yel.	3	7-8	3
739	white	— <i>album</i>	wh.	3
740	(tricolor)	<i>carinatum</i>	3col.	1	...	3
741	new golden	— <i>luteum</i>	yel.	3
742	showy	<i>speciosum</i>	3
743	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	81	...	3col.	tra	...	3
744	new dark (extra)	— <i>atropurpureus</i>	pur.	6
745	white	— <i>albus</i>	wh.	3
746	mixed minor	— — —	div.	3
747	major	<i>Ipomea purpurea</i>	hha	...	cl.	7-9	3
748	extra fine, 16 var.	— — —	1 0
749	rose	— <i>rosea</i>	rose	3
750	spotted	— <i>punctata</i>	sp.	3
751	striped	— <i>striata</i>	stri.	3
752	violet, dark	— <i>atroviolacea</i>	dark	3
753	Cyanus, extra fine	<i>Centaurea Cyanus</i>	19	55	79	ha	div.	2	0-9	3
754	Egg Plant, purple	<i>Solanum ovigerum</i>	5	25	132	ta	pur.	...	7-9	3
755	white	— <i>leucocarpum</i>	wh.	3
756	Chilian species	— <i>sp. ex. Chili</i>	6
757	Flos Adonis	<i>Adonis vernalis</i>	13	95	124	ha	sc.	1	...	3
758	Fraxinella, red	<i>Dictamnus Fraxinella</i>	10	25	128	hp	red	3	...	3
759	white	— <i>albus</i> [rium	wh.	3
760	French honeysuckle	<i>Hedysarum Coronat-</i>	17	45	99	hhpt	red	2	6-8	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.							feet		s. d.
761	Fr. Honeysuckle, wh.	<i>Hedysarum album</i>	17 45	99	hht	wh.	2	6-8	3
762	Globe Amaranthus	<i>Gomphrena globosa</i>	5 25	63	ta	pur.	...	7-9	3
763	flesh-coloured	— <i>carnea</i>	fl.	3
764	striped	— <i>striata</i>	stri.	3
765	white	— <i>alba</i>	wh.	3
766	fine mixed	— —	div.	3
767	Gourd, Bottle	<i>Cucurbita Lagenaria</i>	21 49	84	fa	wh.	tra	...	6
768	Egyptian	— <i>egyptiaca</i>	wh.	3
769	Heracles' Club	— <i>clavata</i>	6
770	orange	<i>aurantia</i>	yel.	3
771	finest mixed	— —	y & w	6
772	striped pear	<i>ovata striata</i>	yel.	3
773	Mammoth	<i>Pepo</i>	3
774	Hawkweed, purple	<i>Crëpis rubra</i>	19 53	79	ha	red	1	7-8	3
775	new white	— <i>alba</i>	wh.	3
776	yellow	<i>Tolpis barbata</i>	yel.	3
777	silvery	— <i>argentea</i>	sil.	3
778	Heartsease, ext. fine	<i>Viola tricolor, pl. var.</i>	5 25	139	hpt	div.	1 0
779	Hollyhock, crimson	<i>Althæa rosea, kerm.</i>	16 48	108	hp	er.	7	6-9	3
780	black	— <i>nigra</i>	bla.	3
781	rose	— <i>roseacea</i>	rose	3
782	yellow	— <i>flava</i>	yel.	3
783	white	— <i>alba</i>	wh.	3
784	20 finest var.	— —	div.	1 0
785	larger packet	— —	2 6
786	Chinese, 2 var.	<i>chinensis</i>	v & p	6
787	Horn Poppy, fine m.	<i>Glaucium, pl. var.</i>	13 25	114	ha	div.	2	7-8	3
788	scarlet	<i>phæniccum</i>	se.	3
789	yellow	<i>flavum</i>	yel.	3
790	three-coloured	<i>tricolor</i>	3col.	3
791	violet	<i>Ranuncula hybrida</i>	vio.	3
792	Ice Plant	<i>Meibomia crystallinum</i>	12 27	89	ta	wh.	tra	5-8	3
793	Jacobæa, purple	<i>Scandëo elegans</i>	19 54	79	lha	pur.	1½	7-8	3
794	double crimson	— <i>kermesina plena</i>	er.	3
795	— Mulberry	— <i>moricolor</i>	mul.	3
796	— purple	— <i>purpurea</i>	pur.	3
797	— violet	— <i>violacea</i>	vio.	3
798	— white	— <i>alba</i>	wh.	3
799	— finest mixed	— —	div.	6
800	Larkspur, dwarf m.	<i>Delphinium Ajacis</i>	13 28	124	ha	...	1	...	3
801	German, large P.	— —	1 0
802	dwarf blue	<i>humile cæruleum</i>	bl.	3
803	— purple	— <i>purpureum</i>	pur.	3
804	— rose	— <i>roseum</i>	rose	3
805	— white	— <i>album</i>	wh.	3
806	tall, mixed	<i>elatior, pl. var.</i>	div.	1½	...	3
807	— German, large	— —	1 0
808	— blue	— <i>azæreum</i>	bl.	3
809	— rose	— <i>roseum</i>	rose	3
810	— white	— <i>album</i>	wh.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
811	branching, large	<i>Delphinium consolida</i>	13	28	124	ha	div.	2	7-8	1 0
812	— sky-blue	— <i>azureum</i>	bl.	3
813	— rose	— <i>roseum</i>	rose	3
814	perennial	<i>elatum</i>	hpt	bl.	4	7-9	3
815	Lavatera, red	<i>Lavalèra trimestris</i>	16	48	108	ha	red	3	7-8	3
816	white	— <i>alba</i>	wh.	3
817	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	3
818	pale buff	— <i>lutescens</i>	buff	3
819	Lupins, Dutch blue	<i>canaticulatus</i>	16	45	99	...	bl.	2	...	3
820	large blue	<i>hirsutus</i>	3
821	— rose	<i>pilosus</i>	rose	3
822	small blue	<i>angustifolius</i>	bl.	3
823	white	<i>albus</i>	wh.	3
824	yellow	<i>luteus</i>	yel.	1½	...	3
825	straw-coloured	<i>stramineus</i>	stra.	3
826	mixed	— — —	div.	3
827	Mallow, 5 sp. sep.	<i>Malva pl. sp. el var.</i>	16	48	108	2	...	1 0
828	Marigold, French, m.	<i>Tagetes patula, pl. var.</i>	19	54	79	hha	...	1½	7-9	3
829	French, dwarf	— <i>humilis</i>	d. br.	1	...	3
830	— tall	— <i>majus</i>	y & b	2	...	3
831	— superb striped	— <i>striata superba</i>	stri.	1½	...	6
832	— unique	— <i>simplex</i>	3
833	African	<i>erecta, pl. var.</i>	y & o.	2	...	3
834	— new dwarf	— <i>humilis nova</i>	or.	1	...	3
835	— lemon	— <i>citrina</i>	ycl.	2	...	3
836	— orange	— <i>aurantiaca</i>	or.	3
837	Marigold, Cape	<i>Calendula pluvialis</i>	...	56	...	ha	w & p	1	7-8	3
838	hybrid Cape	<i>hybrida</i>	wh.	3
839	star-flowered	<i>stellata</i>	or.	2	...	3
840	superb	<i>officinalis superba</i>	s & r.	1½	7-9	6
841	Marvel of Peru	<i>Mirabilis Jatapa</i>	5	25	110	hlp	div.	3	...	3
842	red	— <i>rubra</i>	red	3
843	— striped	— <i>striata</i>	r. s.	3
844	yellow	— <i>flava</i>	yel.	3
845	— striped	— <i>striata</i>	y. s.	3
846	white	— <i>alba</i>	wh.	3
847	three-coloured	— <i>tricolor</i>	3col.	3
848	sweet-scented	<i>longiflora</i>	wh.	3
849	— purple	— <i>purpurea</i>	pur.	3
850	12 fine var. mixed	— — —	div.	1 0
851	Mignonette, oz. 6d.	<i>Reseda odorata</i>	11	28	125	ha	buff	1½	...	3
852	Nasturtions, tall**	<i>Tropaeolum Majus</i>	8	43	135	...	o & y.	cl.	...	3
853	dark red**	— <i>atrosanguineum</i>	d. r.	3
854	carmine**	— <i>miniatum</i>	car.	6
855	spotted**	— <i>venustum</i>	sp.	3
856	buff**	— <i>fulvum</i>	buff	3
857	dwarf	<i>minus</i>	s & o.	trai	...	3
858	common dwarf	— — —	or.	3
859	Nos. 852 to 858	— — —	div.	1 6
860	Palma Christi	<i>Ricinus major</i>	21	49	88	hha	pale	6	...	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
861	Pea, Tangier	<i>Láthyrus tingitānus</i>	17	45	99	ha	sc.	4	7-8	3
862	new striped	— <i>striatus nōvus</i>	str.	3
863	Lord Anson's 2 v.	<i>Magellānicus</i>	b & w	5	...	3
864	winged, 2 var.	<i>Tetragonótbos</i> , 2 var.	s & y.	1	...	3
865	Pea, Sweet, ni. lb. 4s.	<i>Láthyrus odorātus</i>	div.	4	...	3
866	black	— <i>niger</i>	bla.	3
867	painted Lady	— <i>pictus</i>	var.	3
868	purple	— <i>purpureus</i>	pur.	3
869	scarlet	— <i>coccineus</i>	se.	3
870	striped	— <i>striatus</i>	stri.	3
871	— new striped	— — <i>nōvus</i>	3
872	white	— <i>albus</i>	wh.	3
873	Persicaria, red	<i>Polygonum orientāle</i>	8	28	120	...	red	5	...	3
874	white	— <i>album</i>	wh.	3
875	Polyanthus, mixed	<i>Primula elatior</i>	5	25	122	hpt	div.	1	4-6	3
876	— extra fine	— — —	1	0
877	Poppy, doub. 20 var.	<i>Papáver somníferum</i>	13	...	114	ha	...	2	7-8	3
878	black	— <i>nigrum</i>	bla.	3
879	blush	— <i>roseum</i>	rose	3
880	carnation	— <i>incarnatum</i>	fl.	3
881	fringed	— <i>fimbriatum</i>	frin.	3
882	lilac	— <i>lituacum</i>	li.	3
883	striped rose	— <i>roseum striatum</i>	stri.	3
884	scarlet	— <i>coccineum</i>	sc.	3
885	— new large	— <i>grandiflorum</i>	3
886	— striped	— <i>striatum</i>	s. st.	3
887	white	— <i>album</i>	wh.	3
888	new, 10 var.	— <i>Murselli</i>	div.	6
889	Paeony-flowered	— <i>pæniædorum</i>	6
890	superb striped	— <i>striatum superb.</i>	6
891	dwarf French	<i>Rhaas</i> , fl. pleno	1½	...	3
892	— orange	— <i>aurantiacum</i>	or.	3
893	— pink	— <i>roseum</i>	rose	3
894	— red and white	— <i>rubro-album</i>	r & w	3
895	— scarlet	— <i>coccineum</i>	sc.	3
896	Nos. 878 to 895	— — — [cus	4	0
897	Prince's Feather	<i>Amar. hypochondria-</i>	21	40	63	hha	pur.	3	7-8	3
898	new Giant	— <i>speciosus</i>	3
899	Quaking Grass	<i>Briza maxima</i>	3	26	92	ha	gr.	1½	7-9	3
900	Rocket, sweet	<i>Hesperis tristis</i>	15	61	83	hpt	wh.	...	5-8	3
901	purple	— <i>matronalis</i>	pur.	1½	...	3
902	Scabious, fine dwarf	<i>Seabiosa nana</i>	4	25	85	ha	div.	1	7-8	3
903	dark purple	— <i>atropurpurea</i>	hpt	d. p.	2	...	3
904	mixed	— <i>pl. var.</i>	div.	3
905	new large, 16 var.	— <i>major, extra</i>	1	0
906	Sensitive Plant	<i>Mimosa sensitiva</i>	23	51	09	ta	pink	2	6-9	6
907	Snapdragon, mixed	<i>Antirrhinum Majus</i>	14	59	129	hpt	div.	3
908	splendid new	— — —	1	0
909	Carnation	— <i>caryophylloides</i>	stri.	3
910	pink	— <i>roseum</i>	rose	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
911	Snapdragon, painted	<i>Antirr. Majus pietum</i>	14	59	129	hpt	var.	2	6-9	3
912	scarlet	— <i>coccineum</i>	sc.	3
913	— new large	— <i>grandiflorum</i>	6
914	striped yellow	— <i>luteo-striatum</i>	y&w	6
915	yellow	— <i>luteum</i>	ycl.	3
916	white	— <i>album</i>	wh.	3
917	Snake Melon	<i>Cucumis flexuosus</i>	21	40	84	fr.	yel.	trai	...	6
918	Spanish Broom	<i>Spartium junceum</i>	16	45	99	hp	...	3	...	3
919	— white Portugal	<i>Cytisus albus</i>	wh.	3
920	Stock, Ten-week, m.	<i>Matthiola annua, pl. v.</i>	15	61	83	bha	div.	1½	...	3
921	scarlet	— <i>coccinea</i>	sc.	3
922	— intermediate	— <i>intermedia</i>	6
923	— new larger	— <i>majus</i>	1½	...	6
924	purple	— <i>purpurea</i>	pur.	1½	...	3
925	white	— <i>alba</i>	wh.	3
926	Nos. 921 to 925	— — —	div.	1&c	...	1 6
927	Stock, Germ. 20 var.	<i>Matthiola annua, var.</i>	1	...	1 0
928	dwarf, carmine	— <i>densiflora, min.</i>	car.	6
929	— dark blue	— <i>atro-cerulea</i>	d. b.	6
930	— light blue	— <i>late-cerulea</i>	l. b.	6
931	— crimson	— <i>kermesina</i>	cri.	6
932	— dark crimson	— <i>atrorubens</i>	d. r.	6
933	— peach-bloss.	— <i>persiciflora</i>	p. bl.	6
934	— rose-coloured	— <i>rosea</i>	rose	6
935	— yellow	— <i>lutea</i>	yel.	6
936	— violet	— <i>violacea</i>	vio.	6
937	— white	— <i>alba</i>	wh.	6
938	Nos. 928 to 937	— — —	div.	3 6
939	wallflow.-leaved	<i>Cheiri</i>	wh.	3
940	— rose	— <i>rosea</i>	rose	3
941	— 6 fine var.	— — —	div.	6
942	Stock, Queen, pur.	<i>incana</i>	pur.	2	6-8	3
943	— scarlet	— <i>coccinea</i>	hhb ⁺	sc.	3
944	— white	— <i>alba</i>	wh.	3
945	— fine mixed	— — —	div.	6
946	Stock, Brompton, sc.	<i>sinplicicaulis</i>	sc.	2½	...	3
947	— white	— <i>alba</i>	wh.	3
948	— purple	— <i>purpurea</i>	pur.	3
949	— carmine	— <i>miniata</i>	car.	6
950	— crimson	— <i>kermesina</i>	cri.	6
951	— copper	— <i>cyprea</i>	cop.	6
952	— violet	— <i>violacea</i>	vio.	6
953	— — dark	— <i>atro-violacea</i>	d. v.	6
954	— white German	— <i>alba</i>	wh.	6
955	Imperial, 4 var.	— <i>imperialis</i>	hhp ⁺	div.	2	...	1 6
956	Autumnal, 12 v.	— <i>autumnalis</i>	bha	...	1½	7-8	6
957	Sunflower, double	<i>Helianthus annuus,</i>	19	55	79	ha	ycl.	5	...	3
958	dwarf	— <i>nanus</i> [<i>fl. pl.</i>]	3
959	Giant	— <i>giganteus</i>	7
960	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	83	hpt	wh.	1	6-9	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
961	Sweet Sultan	<i>Centaurea moschata</i>	19	55	79	hha	pur.	2	7-9	3
962	white	— <i>alba</i>	wh.	3
963	yellow	<i>suavdolens</i>	yel.	3
964	blush	<i>Crocody'tium</i>	blu.	3
965	Venus' Looking-	<i>Prismatocarpus Spé-</i>	5	25	73	ha	bl.	1	7-8	3
966	5 var. sep. [Glass	— — — [culum	div.	1 0
967	Venus' Navelwort	<i>Cynoglossum tinifol.</i>	71	...	wh.	3
968	Virginian Stock	<i>Malœmia maritima</i>	15	61	83	...	li.	$\frac{1}{2}$	6-7	3
969	white	— <i>alba</i>	wh.	3
970	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	bro.	2	5-8	3
971	very dark	— <i>atratus</i>	bla.	3
972	Chameleon	— <i>variabilis</i>	var.	3
973	purple	— <i>purpureus</i>	pur.	3
974	yellow	— <i>flavus</i>	yel.	3
975	double dark	— <i>flöre-pleno</i>	bro.	6
976	— very dark	— — <i>nigrescens</i>	bla.	6
977	— dark blue	— — <i>atro-caruleus</i>	d. bl.	1 0
978	— marbled blue	— — <i>marmoratus</i>	mar.	1 0
979	— fine mixed	— — —	div.	6
980	Winter Cherry	<i>Phy'satis Atkakengi</i>	5	25	132	ha	wh.	2 $\frac{1}{2}$	7-9	3
981	Xeranthemum, pur.	<i>Xeranthem. annuum</i>	19	54	79	...	pur.	2	...	3
982	white	— <i>album</i> [teatum	wh.	...	7-8	3
983	yellow	<i>Elichrysium brac-</i>	yel.	3
984	new white	— <i>album novum</i>	wh.	3
985	new straw	— <i>stramineum</i>	stra.	3
986	Nos. 981 to 986	— — —	div.	1 0
987	Zinnia, yellow	<i>Zinnia aurea</i>	hha	yel.	3
988	buff	<i>pauciflora</i>	buff.	3
989	large-flowered	<i>grandiflora</i>	se.	3
990	6 sorts mixed	— — —	div.	6
991	6 do. do. separate	— — —	1 0

ASSORTMENTS (continued from Page 4).

The following Seeds have lately arrived from the Cape in fine condition, and are likely to give great satisfaction; many of them being new and rare.

No.		£ s. d.	No.		£ s. d.
36	50 very fine Erica, separate	1 5 0	40	16 very fine Protea	0 12 0
37	5 " " Helichrysium ..	0 3 6	41	100 Cape Seeds	2 10 0
38	15 " " Leucadendron	0 10 0	42	50 do. do.	1 10 0
39	4 " " Leucospermum	0 2 6	43	25 do. do.	0 15 0

N.B. The three last Assortments are entirely distinct from the five preceding, and do not comprehend any of the species contained therein.

SUNDRY OTHER ASSORTMENTS,

Including the Finest Varieties.

	s. d.		£ s. d.
10 Alstræmèria, <i>fgh.</i> or <i>hhp.</i>	5 0	8 Enothèra, <i>ha</i> & <i>p.</i>	0 2 0
6 Anemone, <i>hp.</i>	2 0	10 Pentstemon, <i>hp.</i>	0 3 6
6 Aquilègia, <i>hp.</i>	1 6	6 Schizanthus, <i>ha.</i>	0 1 6
8 Calliopsis, <i>hha.</i>	1 6	10 Snapdragon, <i>hp.</i>	0 3 6
10 Campánula, <i>hp.</i>	2 6	20 Greenhouse seeds	0 10 0
6 Candytuft, <i>ha.</i>	1 0	50 Hardy Annuals	0 7 6
8 Clarkia, <i>ha.</i>	1 6	25 do. do.	0 4 0
8 Convolvulus Major, <i>hha.</i>	2 0	50 Finest half-hardy, &c.	1 0 0
10 Delphinium, <i>hp.</i>	2 6	25 do. do.	0 10 0
12 Dianthus, <i>hb</i> & <i>p.</i>	3 6	50 Commoner do.	0 12 0
8 Digitalis, <i>hp.</i>	1 6	25 do. do.	0 6 0
12 Godètia, <i>ha.</i>	2 6	25 Fine Perennials	0 7 6
8 Lobèlia, <i>hb</i> & <i>p.</i>	4 0	12 do. do.	0 4 0
6 Nemóphila, <i>ha.</i>	2 0		

* * A Supplementary List of Flower Seeds, comprising several hundred, omitted in the present Catalogue for want of space, is in the press, and will be shortly published.

SEEDS OF VARIOUS FRUITS—per Packet.

No.	s. d.	No.	s. d.
992 Apple Pips	6	1020 Melon, hardiest early Cantalupe	1 0
993 Apricots, mixed	6	1021 — Illoosainee	1 0
994 Cherries, various	6	1022 — Ionian	1 0
995 Chestnuts	6	1023 — Ispahan, extra	1 0
996 Currants, mixed	6	1024 — netted Cantalupe	6
997 — black	6	1025 — netted Ispahan	1 0
998 — new large amber	6	1026 — netted Persian	1 0
999 — red Dutch	6	1027 — Niel's fine green flesh	1 0
1000 — white Dutch	6	1028 — Passingham Victoria, g. f.	1 0
1001 — fine red	6	1029 — Pekin, warranted extra	1 0
1002 — fine white	6	1030 — pear-shaped, Egyptian	1 0
1003 Gooseberry, 12 finest prize v.	1 0	1031 — Pine Apple	6
1004 — Norris's Rifleman	6	1032 — scarlet-fleshed, mixed	6
1005 — Emmet's seedling	6	1033 — scarlet rock	6
1006 Grape, finest sorts	1 0	1034 — Queen's Poeket, fine	6
1007 Filberts, best	6	1035 — Sirdar or Surdah	1 0
1008 Hazel Nuts	6	1036 — Suceade, fine	6
1009 Melon, fine mixed	1 0	1037 Mulberry, 5 sp.	2 6
1010 — Bayley's impregnated	1 0	1038 Neectarine, fine mixed	1 0
1011 — Beechwood, extra	1 0	1039 Peach, do.	1 0
1012 — Black Rock	6	1040 Pear Pips, fine	6
1013 — new dark green f.	1 0	1041 Plum, fine mixed	6
1014 — Cahul	1 0	1042 Quince	6
1015 — Davy's new Hybrid	1 0	1043 Raspberry, Chapman's red	6
1016 — Duncan's fine g. f.	6	1044 — new Fastolf	6
1017 — Evans' scarlet flesh	1 0	1045 — Macey's red	6
1018 — scarlet-fleshed Egyptian	1 0	1046 — new Victoria	6
1019 — fine mixed green flesh	6	1047 — new yellow	6

SEEDS OF VARIOUS FRUITS— Per Packet.		Price.	SEEDS OF VARIOUS FRUITS— Per Packet.		Price.
No.		s. d.	No.		s. d.
1048	Raspberry, Nivett's	6	1061	— Myatt's British Queen	6
1049	— Prince Albert	6	1062	— Elton Pine	6
1050	— Ratter's Giant	6	1063	— Keen's seedling	6
1051	— Shilling's new large	6	1064	— Myatt's seedling	6
1052	— Turkish Turban	6	1065	— Prince Albert	6
1053	— red Antwerp	6	1066	— scarlet, for preserving	6
1054	— white do.	6	1067	— old Pine	6
1055	— large late Bechive	6	1068	— Turner's Pine	6
1056	— large white	6	1069	— Knight's new Elton	6
1057	— 10 finest sorts	4 0	1070	— 10 finest sorts	4 0
1058	Strawberry, red Alpine	6	1071	Water Melon, Imperial	6
1059	— white Alpine	6	1072	— mixed, very fine	1 0
1060	— new Alpine	6			

BULBOUS AND OTHER FLOWER ROOTS.

<i>The following are quite hardy and may be planted till May.</i>		Price.			Price.
		£ s. d.			£ s. d.
Amaryllis formosissima,	each	0 6	Ranunculus, double, 25 varie-		
Bella-donna	"	1 0	ties, 5s.; 12 do.		3 0
Anemones, splendid new			finest mixed, per 100		10 0
large double Dutch, 200 var.	3 0 0		very fine do.	"	7 0
— 100 do. 1l. 10s.	50 do.	17 6	new seedlings	"	5 0
— 25 do. 8s.	12 do.	5 0	Turban Ranunculus, sear.	"	2 6
— double mixed, extra, per lb.		8 0	— dark crimson	"	3 0
— single	"	4 0	— orange	"	5 0
Bleu Aimable	per doz.	3 0	— yellow	"	3 0
Coulcur de Sang	"	3 0	8 doz. in 8 fine var.	for	7 0
Feu superbe, flame	"	3 0	Hercules, white,	each	1 0
Josephine, crimson	"	3 0	Mufti, spotted	"	1 0
Lord High Admiral, sc.	"	3 0	new carmine	"	1 0
New variegated	"	3 0	Sulphurea superba	"	1 0
Rose Surpassante	"	3 0	Winter Aconites,	per 100	4 0
Rouge Superb	"	3 0			
48 in the above 8 var.	for	10 0	AMARYLLIDACEÆ.		
Anemone hortensis, mixed	doz.	2 6	Alstromeria pulchra*	each	1 0
brilliant red	"	3 0	Amaryllis aulica**	"	5 0
double red	"	2 6	erocata superba**	"	6 0
fine single	"	2 0	equestris*	"	2 6
variable	"	3 0	flammea*	"	3 6
30 in the above 5 var.	for	5 0	gloriosa**	"	6 0
12 beautiful new var.	each	1 0	Johnsoni*	"	3 6
Lilium lancifolium, album	"	3 6	Josephiniàna*	10s. to 1	0 0
Pancratium illyricum	"	1 6	psittacina**	"	4 0
Ranunculus, extra fine			— hybrida**	"	4 0
double, 200 varieties	2 0 0		reginæ**	"	5 0
— 100 do. 1l.	50 do.	10 0	splendens**	"	6 0

BULBOUS AND OTHER FLOWER ROOTS.		Price.	BULBOUS AND OTHER FLOWER ROOTS.		Price.
		£ s. d.			£ s. d.
Amaryllis vittata*	each	3 0	Gladiolus gandavensis*		3 6
— superba*	"	4 0	— insignis, splendid*		3 6
sp. Brasils**, No. 1	"	3 6	Loddigèsii*		1 6
sp. do. No. 2	"	3 6	multiflorus*		3 0
Ammocharis coranica*	"	7 6	natalensis*	doz. 2 0	0 2
falcata*	"	5 0	oppositiflorus*	" 2 6	0 3
glauca* (new)	7s. to	10 0	pubibundus*		1 6
Brunsvigia multiflora*	each	7 0	rosa-mundi*		2 6
minor* (quite distinct)	"	5 0	Victoria*		4 0
Buphane ciliaris*, true	"	5 0	6 fine new* for 12s.		2 0
disticha*	"	2 6	Iris pavonia*	doz. 2 6	0 3
Chlidanthus fragrans*	"	1 6	— persica*	" 2 6	0 3
Coburgia fulva*	"	5 0	— sustana*		1 0
— incarnata*	"	5 0	tuherdosa*		0 6
Crinum aquaticum*	"	1 6	Tigridia canariensis†?		1 6
capense (imported)	"	1 6	couchiflora†		1 0
— roseum	"	1 0	Pavonia†, large	doz. 2 6	0 3
— album	"	1 6	Watsonia, finest mixed	" 5 0	0 6
sp. West Indies*	"	3 0	* proper for the Greenhouse or the open borders; † should not be planted out before the end of April; the others from Ja- nuary till May.		
Cyrtanthus obliquus*	"	3 6			
punicus*	"	3 6			
spiralis*	"	3 6			
Gastronema spiralis*	"	2 6	SUNDRY BULBS.		
undulata*	"	1 6			
Habranthus, sp. Chili*	"	2 6		each	
Hæmanthus albidus*	"	2 6	Achimenes, various*	4d. to	1 0
coccineus*	"	2 6	Albica, Cape species*		2 6
hyalocarpus*	"	2 6	Bulbine pugioniformis*		2 0
quadri-valvis*	"	2 6	Dahlias, extra fine†		1 0
tigrinus*	"	2 6	Drumia altissima*		3 6
Ismene, fine sp.*	"	3 6	Eriosperrum lancifolium*		2 6
Vallota purpurea*	"	1 0	Gesneria, various**	1s. 6d. to	3 6
— extra large*	"	3 6	Gloxinia, various**	1s. 6d. to	3 6
— speciosa*	"	5 0	Ornithogalum aureum*		1 0
* proper for a Greenhouse ;			Strelitzia junccea, large*		7 6
** for the hot house or greenhouse.			Tropæolum peregrinum*		2 0
The Crinums are quite hardy.			Jarrattii*		3 0
IRIDACEÆ.			Tuberoses, double, per doz. 4s.		4 0
Anisanthus Cundonia*		0 9	Veltheimia capensis*		1 6
Anomatheca cruenta*	doz. 2 6	0 3	* proper for Greenhouse ; ** most proper for a Stove, but will do in a Greenhouse. Dahlias must not be planted out before May. Tuberoses require to be forwarded in a hotbed frame or pit.		
Antholyza*, fine mixed	" 3 6	0 4			
Babiæna*, 6 fine sorts	for 5 6	1 0			
Commelina cælestis†,	doz. 2 6	0 3			
Gladiolus blandus*		1 0			
— cardinalis*		0 6			
— inflatus*		1 0			
curviflorus*		1 0			

SUNDRY PLANTS.

	£	s.	d.
Carnations, extra fine prize flowers, named, per 12 pair.....	1	4	0
————— 12 single plants	0	13	0
Picotees, extra fine, white grounds, per 12 pair	1	0	0
————— 12 single plants	0	11	0
————— yellow grounds, per 12 pair	1	4	0
————— 12 single plants	0	13	0
Chrysanthemums, fine, 10s. doz., extra fine do., per doz.....	0	18	0
Fuchsias, very fine..... " " 10s. to	1	0	0
Geraniums, 12s., 20s., 40s., 60s. to 80s. per doz.			
Heartsease or Pansies, 12 extra fine sorts.....	1	0	0
————— 12 fine varieties	7s.	6d.	to
Pinks, extra fine, per doz. pair 8s., 50 do. do.....	1	10	0
Roses, fine Standards, 12 varieties, per doz.....	1	10	0
————— Half-Standards, per doz.	18s.	to	
————— dwarf, " "	6s.	to	
————— climbing and Noisette, per doz.	9s.	&	
Verbenas, fine, per doz.	7s.	6d.	to

To prevent J. C. from sending duplicates, he requests the names of such as are already possessed.

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
3 and 4	Artichoke, best per oz.	1 0	4 to 6	Broccoli, earliest Cape p. oz.	1 0
	Asparagus, giant "	0 3		white Cape "	1 0
11 to 6	Beans, early Mazagan p. qt.	0 6		Grauge's white "	1 0
	dwarf Fan "	0 6		early Belvidere "	1 0
	early long-pod "	0 6		early Caulif. B. "	1 0
	Sword "	0 6		— cream-coloured "	1 0
	Turkey "	0 6		— purple "	1 0
	Johnson's Wonderful, "	0 6		— white "	1 0
	Lisbon long pod "	0 6		— Malta "	1 0
	green long pod "	0 6		— sprouting "	1 0
	Toker "	0 6		— Walcheren "	1 6
1 to 5	largest Windsor "	0 6		Chappel's cream "	1 6
	Taylor's Windsor "	0 6		fine white "	1 0
	green Windsor, &c. "	0 6		Brimstone "	1 0
4 to 6	Beet, fine large red, per oz.	0 4		dwarf Russian "	1 0
	new German red "	0 6		dwarf Siberian "	1 0
	new black "	0 6		Hampton Court "	1 0
	green "	0 3		Howden's superb "	1 0
	silver or Sea kail "	0 3		Impregnated white "	1 0
	white "	0 3		Invisible "	1 0
4 to 5	Borecole or Kail, brown "	0 4		new Victoria "	1 0
	green curled "	0 4		Knight's protecting "	1 0
	purple "	0 4		Portsmouth "	1 0
	variegated, &c. &c. "	0 6		Winter Imperial "	1 0

Mouth of Sow.	oz. ounce ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
		s. d.			s. d.
4 to 6	Broccoli, White Southampt.	1 0	2 to 8	Cauliflower, late Cyprus, oz.	1 6
	late white "	1 0		Walcheren "	1 6
	— Miller's "	1 0		new black "	1 6
	— purple close-h. "	1 0	3 to 6	Celery, solid white "	0 3
	— large white "	1 0		solid red "	0 3
	late large purple "	1 0		giant red "	0 6
	— American, ext. "	1 6		giant white "	0 6
	very late d. Danish "	1 0		new curled "	0 6
	6 best for succession "	6 0		Seymour's white "	0 6
5 to 6	Brussels sprouts, extra f.	1 0		new American "	0 6
3 to 9	Cabbage, American, per oz.	1 0		large rt. Celcrae, "	0 6
	Atkins' Matchless "	1 0		Cardoon, Spanish "	0 6
	Carter's new Matchless "	1 6		new large purple pa.	1 0
	early dwarf per oz.	0 6		Chervil, curled per oz.	0 4
	— Nonpareil "	0 6	5 to 7	Corn Salad "	0 3
	— York "	0 6	2 to 9	Cress, common, per quart	1 0
	— Battersea "	0 6		triple curled "	1 6
	— East Ham "	0 6		Cress, golden "	2 0
	— Emperor "	0 6		Amer. perennial p. oz.	0 3
	— Paignton "	0 6		Water per pa.	0 6
	— Pomcranian "	1 0	1 to 6	Cucumber, fine frame "	0 6
	— Plaw "	0 6		fine long prickly "	0 6
	— Shilling's Queen, "	1 6		Philip's long "	0 6
	— Sugar-loaf "	0 6		Stockwood "	0 6
	Vanack "	0 6		fine Ridge "	0 6
	Wellington, &c. "	0 6		short prickly "	0 3
	large Imperial "	0 6		green Turkey "	0 6
	— Battersea "	0 6		white Turkey "	0 6
	— York "	0 6		Cambridge Hero "	1 0
	6 best sorts, 1 oz. each	3 6		Cambridge Prize "	1 0
	Red Dutch "	0 6		Carter's Champion "	1 0
	Cabbage, drumhd. Savoy, "	0 6		Cuthbert's * Colney }	1 0
	large green Savoy "	0 6		Hatch, warr. extra }	0 6
	yellow Savoy "	0 6		Improved Manchester "	0 6
	Braganza "	0 8		Latter's Victory of Eng.	1 0
	Tronchouda, ext. "	1 0		Manning's black spine, "	1 0
	— new curled, do. "	1 0		Manchester Prize "	0 6
	Pe-tsay or Chinese pa.	0 6		Man of Kent "	0 6
	Pak-choi, new Chinese "	1 0		Roman Emperor "	0 6
	Turnip-rooted, oz.	0 6		Sion House* "	0 6
	Chou de Milan, imported "	1 0		Snow's Horticultural "	1 0
2 to 8	Carrot, early Horn "	0 4		Stewart's Ringleader "	1 0
	early scarlet frame "	0 4		superb white spine "	1 0
	long Surrey "	0 4		Victory of Suffolk "	0 6
	— orange "	0 4		Walker's Traveller "	0 6
	Altringham "	0 4		Weedon's frame "	0 6
	largest white "	0 2		Cuthill's black spine*	0 6
	Cauliflower, early Eng. "	1 6		6 finest varieties "	5 0
	late English "	1 6	6 to 8	Endive, green curled, p. oz.	0 6
	large Asiatic "	1 6		white curled "	0 6

* Best for Autumn sowing.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
6 to 8	Endive, Batavian, white, oz.	0 6	3 to 8	Onion, Spaush, white* oz.	0 8
	— green „	0 6		— brown „	0 8
5 to 7	French beans, all sorts per qt.	1 3		Strasburg* „	0 6
	Scarlet Runners „	1 3		Tripoli* „	0 8
	Painted Lady „	1 6		Two-bladed „	0 8
	Indian Corn, per pa.	0 3		Weleh* „	0 6
3 to 5	Leek, London Flag p. oz.	0 6	* Best for Au- tumn Sowing.	6 finest sorts	3 6
1 to 8	Lettuce, Bath Cos* „	1 6	7 to 5	Parsley, curled „	0 3
	black-seeded do. do.* „	1 6		extra curled „	0 4
	Brighton do. „	1 6		Hambro', rooted „	0 4
	Ady's large Cos „	1 6	2 to 5	Parsnip, hollow-crowned „	0 3
	blood Cos „	1 6		Guersey „	0 3
	brown Cos* „	1 6	9 to 5	Peas, early Kent per qt.	8
	black seed g. Cos „	1 0		— Prince Albert „	1 0
	dwarf Siberian Cos „	1 0		— May „	0 8
	Egyptian Cos* „	1 0		— Shilling's Grotto	1 0
	Florence Cos „	1 6		— Race-horse „	0 8
	green Cos „	1 6		— Warwick „	0 8
	improved white Cos „	1 6		— d. blossom frame	0 8
	Paris Cos „	1 6		— Nimble „	0 6
	spotted Cos „	1 6		— Hotspur „	0 6
	white Cos „	1 6		— Charlton „	0 6
	white winter Cos* „	1 6		— Bishop's dwarf „	0 9
	Silesia „	1 0	3 to 6	Peas, later sorts per qt.	
	brown Dutch* „	1 0		— Carter's Lilliputian	5 0
	Drumhead cab. „	1 6		— new Colossus „	2 6
	Grand Admiral ea. „	1 6		— Glory of England	1 0
	Imperial cabbage „	1 6		— Marrow, dwarf wh.	0 8
	Malta cabbage „	1 6		— — tall white „	0 8
	Marseilles cabbage „	1 6		— — dwarf green „	0 8
	Large Mogul cab. „	1 6		— — tall green „	0 8
	Hammersmith, hardy* „	1 0		— — early green „	0 8
	Tennis ball* „	1 0		— — Woodford's g. „	0 8
	white cabbage* „	1 0		— — Grotto „	0 8
	New Cape cabbage, pa.	1 0		— — Royal Victoria „	1 0
	8 finest sorts „ „	10 0		Knight's marrow, d. „	1 0
4 and 5	Love apple or Tomato p. oz.	1 0		— tall white „ „	1 0
	yellow „	1 0		— dwarf green „ „	1 0
3 to 9	Mustard, white p. quart	1 0		— tall green „ „	1 0
	brown „	1 0		Matchless „ „	0 8
3 to 8	Onion, blood-red per oz.	0 8		new Milford „ „	0 8
	Deptford* „	0 8		— Wrinkle „ „	1 6
	Globe „	0 8		— dwarf Victory „	1 0
	— new white „	0 8		— Mammoth „	1 0
	James' keeping „	0 8		Prussian blue „	0 8
	Lisbon* „	0 6		Groom's superb „	1 0
	Pickling „	0 8		Imperial, Bedman's „	0 8
	Portugal, white „	0 8		new British Queen „	1 6
	Reading, white „	0 8		Queen of the dwarfs	5 0
	Silver-skinned „	1 0		Scimitar, dwarf blue „	0 8
* Best for Au- tumn Sowing.					

Month of Sow.	oz. ounce; qt. quart.	Price.	Month. of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 6	Peas, 10 ext. fine sorts	12 0	2 to 6	Turnip, early Dutch per oz.	0 3
If sown early require heat.	2 to 6 Potato Seed, scarce, per pa.			early Mousetail "	0 3
	— ash-leaved kidney	1 0		— Snowball "	0 3
	— Buntingford kidney	1 0	3 to 9	— six week "	0 3
	— Cockney, round "	1 0		— stone "	0 3
	— early kidney "	1 0		yel. Altringham "	0 3
	— early round "	1 0		— Maltese "	0 3
	— early Shaw, round "	1 0		— stone "	0 3
	— elm-leaved kidney	1 0	3 to 5	Teltan, German "	0 6
	— Manly's round "	1 0	2 to 5	Vegetable Marrow per pa.	0 6
	— Oxnoble, round "	1 0		SWEET HERBS, &c.	
	— Prince Regent "	1 0	4 to 6	Balm, per oz. per pa.	0 3
	— white Kent kidney	1 0		Basil, sweet "	0 3
	— York red, round "	1 0		— bush "	0 3
	— early golden globe	1 0		Borage "	0 3
	— Bread-fruit, round	1 0		Bugloss "	0 3
	— Dutch Silverskin	1 0		Burnet "	0 3
	— 8 sorts as above "	7 0		Clary "	0 3
5 and 6	Purslain, green per oz.	0 6		Capsicum and Chilis "	0 6
1 to 8	Radish, long frame per qt.	2 0		Fennel "	0 3
	Wood's new frame "	2 0		Florence Fennel "	0 6
	early scarlet "	2 0		Hyssop "	0 3
	early short topt "	2 0		Lavender "	0 3
	long Salmon "	2 0		Marjoram, sweet "	0 3
	white Naples "	2 6		— pot "	0 3
	purple Salad "	1 6		Marigold, pot "	0 3
	red Turnip "	2 0		Rosemary "	0 3
	white Turnip "	2 0		Wormwood "	0 3
	yellow Turnip, per oz.	0 3		Sage "	0 3
	new rose olive "	0 3		Savory, Summer "	0 3
	new scarlet do. "	0 3		— Winter "	0 3
	new Chinese, rose- coloured Winter, pa. }	0 6		Thyme "	0 3
	Black Spanish, per oz.	0 3		Fruit Seeds, see page 25.	
4 to 5	Rampion per pa.	0 6		ROOTS, PLANTS, &c.	
1 to 8	Rape, Salad per qt.	1 0		<i>The Prices variable.</i>	
3 to 5	Rhubarb, Victoria per oz.	1 0		Artichokes per peek	
	Giant "	1 0		Asparagus, all sorts	
	Tobolsk "	1 0		Chives per 100	
	Salsafy "	0 6		Garlic per lb	1 0
	Scorzoneria "	0 6		Horse Radish per doz.	
2 to 5	Sea Kail per qt.	2 0		Mushroom Spawn per bush.	4 0
	Skirret per oz.	0 8		Potato, early forcing, all sorts	
	Sorrel "	0 6		— Wright's prolific, &c. &c.	
2 to 6	Spinach, round per qt.	1 0		Rhubarb, Tobolsk each	1 0
2 to 10	prickly "	1 0		Myatt's Victoria "	1 6
	broad Flanders "	1 0		Dully's scarlet "	1 0
	New Zealand per oz.	0 6		6 finest for succession	7 0
3 to 5	Squash, 3 var. mixed per pa.	0 6		Rocamboles per lb.	
2 to 5	6 var. separate "	1 6		Shallots "	1 0
				Sea Kale per 100	
				Strawberries, various "	
				Raspberries, all sorts.	

AGRICULTURAL SEEDS.

Cabbage, largest field	per lb. 2 0	Grass, mixed Lawn, per Acre.
Carrot, ext. large white	„ 1 6	Mangel Wurzel, all sorts per lb. 1s.
Grasses, all sorts.		Turnip, 9d. to 1s. 6d. per lb.

Russia Mats, Garden Utensils, Netting, &c. &c.—Seeds packed for Exportation to India, &c., as to ensure their vegetating.

FRUIT TREES.

	Dwarfs.		Standards.		Dwarfs, trained.		Standards, trained.	
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Apples, finest sorts	9	to 10	2 6	3 6				
Apricots, various, finest	1 6	2 6	3 6	6 0			10 6	
Almonds, fruit-bearing	1 6		3 6					
Cherries, very fine sorts	1 0		2 6	3 6			7 6	
Nectarines, ditto ditto	1 6		3 6	6 0			10 6	
Peaches, ditto ditto	1 6		3 6	6 0			10 6	
Pears, great variety	1 0		2 6	3 6			7 6	
Plums, fine sorts	1 0		2 6	3 6			7 6	
Medlars	1 0		2 6					
Quinces			2 6					

Gooseberries, 12 extra fine large prize varieties, 12s. 50 do. £2 0 0

Grape Vines, Pine-apple Plants, &c. &c.

* * A Catalogue of Genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.

— Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.

— Encycl. of Cottage, Farm, and Villa Architecture. 1 vol. 2000 Engravings. 3l.

— Supplement to do. 8vo. 7s. 6d.

— Suburban Gardener and Villa Companion. 1 vol. Svo. 1l.

— REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous Plates, 1l. 10s. plain, 3l. 6s. coloured.

— The Gardener's Magazine. In 9 vols. 8vo. 9l. 17s.

— The Suburban Horticulturist. 1 vol. 8vo. 380 Engrs. 16s. An excellent work.

Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, £8 18s. 6d.

— Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.

— LADY'S COUNTRY COMPANION, 2nd Edition, 7s. 6d.

CURTIS' Botanical Magazine, edited by Sir William Jackson Hooker, monthly; coloured 3s. 6d., plain 2s. 6d., each.

Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.

— Sertum Orchidaceum, splendidly coloured, 10 parts. 25s. each.

PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.

— Pocket Botanical Dictionary. 15s.

MAUND'S Botanic Garden, col. monthly, large 1s. 6d., small 1s.

DECANDOLLE'S Vegetable Organography, translated by Boughton Kingdon, Esq. 2 vols. 8vo. 23 plates. £1 8s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.

TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1846.